



**Turkey**  
**Congener: PCB 77**

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.62		59	1.0	Outlier
2	0.77		60	0.44	
3	0.40		62	0.93	
5	0.31		65	7.8	Outlier
6	0.095		66	1.1	Outlier
7	18	Outlier	67	0.29	
8	0.47		69	0.50	
9	0.32		71	0.57	
12	1.7	Outlier	72	0.43	
14	0.30	ND	74	0.16	
16	0.70		75	0.91	
17	0.21		78	0.29	
19	0.034		80	6.9	Outlier
20	2.1	Outlier	81	0.50	ND
21	0.79		83	1.1	Outlier
22	0.18		84	0.27	
24	5.0	Outlier,ND			
26	0.15				
28	0.39				
29	27	Outlier			
30	4.8	Outlier			
32	0.32				
33	1.2	Outlier			
36	0.26				
38	0.81				
39	0.41				
41	0.20				
42	0.90	ND			
43	0.41				
46	1.9	Outlier			
48	0.27				
50	0.64				
52	0.22				
53	0.060				
55	0.32				
56	0.29				
57	0.71				
58	0.52				



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	16		59	24	Outlier
2	19		60	11	
3	10		62	26	Outlier
5	7.8		65	211	Outlier
6	2.4		66	27	Outlier
7	694	Outlier	67	7.4	
8	13		69	9.7	
9	8.3		71	15	
12	42	Outlier	72	11	
14	7.0	ND	74	4.2	
16	20		75	23	
17	5.7		78	0.0078	
19	0.82		80	414	Outlier
20	52	Outlier	81	14	ND
21	21		83	3.0	
22	6.8		84	7.2	
24	100	Outlier,ND			
26	4.1				
28	12				
29	780	Outlier			
30	111	Outlier			
32	7.8				
33	35	Outlier			
36	8.2				
38	28	Outlier			
39	10				
41	5.4				
42	41	Outlier,ND			
43	11				
46	51	Outlier			
48	7.7				
50	22				
52	5.5				
53	1.5				
55	8.5				
56	8.2				
57	19				
58	15				



**Turkey**  
**Congener: PCB 126**

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.21		58	0.17	
2	0.21		59	0.23	
3	0.16		60	0.14	
5	0.14		62	0.32	Outlier
6	0.10		65	0.24	ND
7	0.93	Outlier	66	0.15	
8	0.13		67	0.050	
9	0.13		69	0.11	
11	0.16		71	0.12	
12	0.14		72	0.17	
14	0.12		74	0.11	
16	0.16		75	0.24	
17	0.075		78	0.47	Outlier,ND
19	0.14		80	0.20	
20	0.31	Outlier	81	0.17	
21	0.070		83	0.30	Outlier
22	0.037	ND	84	0.12	
24	0.34	Outlier,ND			
26	0.10				
28	0.18				
29	0.46	Outlier			
30	0.50	Outlier,ND			
32	0.16				
33	0.087				
36	0.074				
38	0.081	ND			
39	0.11				
41	0.10				
42	2.10	Outlier,ND			
43	0.14				
46	0.16				
48	0.11				
50	0.087				
52	0.13				
53	0.020				
55	0.13				
56	0.12				
57	0.12				



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	5.7		58	4.9	
2	5.0		59	5.6	
3	4.0		60	3.4	
5	3.5		62	9.0	Outlier
6	2.6		65	6.5	ND
7	36	Outlier	66	3.8	
8	3.3		67	1.3	
9	3.3		69	2.1	
11	4.1		71	3.1	
12	3.5		72	4.4	
14	3.4		74	2.9	
16	4.5		75	5.9	
17	2.1		78	0.013	ND
19	3.4		80	12	Outlier
20	7.7	Outlier	81	4.6	
21	2.0		83	8.1	Outlier
22	1.4	ND	84	3.1	
24	9.0	Outlier,ND			
26	2.8				
28	5.6				
29	13	Outlier			
30	10	Outlier,ND			
32	4.0				
33	2.5				
36	2.3				
38	2.8	ND			
39	2.7				
41	2.7				
42	95	Outlier,ND			
43	3.9				
46	4.2				
48	3.2				
50	3.0				
52	3.3				
53	0.39				
55	3.4				
56	3.3				
57	3.4				



**Turkey**  
**Congener: PCB 169**

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.050		58	0.024	
2	0.045		59	0.14	Outlier
3	0.040		60	0.011	
5	0.030		62	0.061	
6	0.0030	ND	65	0.15	Outlier,ND
7	1.2	Outlier	66	0.078	Outlier
8	0.024		67	0.020	ND
9	0.031		69	0.012	
11	0.032		71	0.040	ND
12	0.032		72	0.029	
14	0.0070	ND	74	0.050	ND
16	0.050		75	0.048	ND
17	0.014		78	0.93	Outlier,ND
19	0.047		80	0.023	
20	0.020		81	0.030	ND
21	0.030		83	0.040	ND
22	0.067	Outlier,ND	84	0.036	
24	0.050	ND			
26	0.019				
28	0.068	Outlier,ND			
29	0.18	Outlier,ND			
30	0.50	Outlier,ND			
32	0.15	Outlier,ND			
33	0.044	ND			
36	0.031				
38	0.015	ND			
39	0.032				
41	0.10	Outlier,ND			
42	2.4	Outlier,ND			
43	0.025				
46	0.040				
48	0.022				
50	0.021				
52	0.020				
53	0.030				
55	0.018				
56	0.023				
57	0.062				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	1.3		58	0.70	
2	1.1		59	3.4	Outlier
3	1.1		60	0.28	
5	0.81		62	1.7	
6	0.088	ND	65	4.2	Outlier,ND
7	47	Outlier	66	2.0	Outlier
8	0.64		67	0.50	ND
9	0.80		69	0.22	
11	0.80		71	1.0	ND
12	0.78		72	0.77	
14	0.20	ND	74	1.3	ND
16	1.4		75	1.2	ND
17	0.38		78	0.025	ND
19	1.1		80	1.4	
20	0.54		81	0.82	ND
21	0.73		83	1.0	ND
22	2.6	Outlier,ND	84	0.94	
24	1.0	ND			
26	0.52				
28	2.1	Outlier,ND			
29	5.0	Outlier,ND			
30	10	Outlier,ND			
32	3.7	Outlier,ND			
33	1.3	ND			
36	0.98				
38	0.53	ND			
39	0.79				
41	2.7	Outlier,ND			
42	109	Outlier,ND			
43	0.69				
46	0.99				
48	0.62				
50	0.72				
52	0.62				
53	0.71				
55	0.47				
56	0.66				
57	1.7				



**Turkey**  
**Congener: PCB 81**

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.036		65	0.21	Outlier,ND
2	0.26	Outlier	66	0.16	Outlier
3	0.020		67	0.020	ND
5	0.030		69	0.14	Outlier
6	0.010		71	0.040	ND
7	0.57	Outlier	72	0.037	
8	0.029		74	0.050	ND
9	0.030		75	0.048	ND
12	0.095	Outlier	78	0.27	Outlier,ND
14	0.030	ND	81	0.020	ND
16	0.050		83	0.040	ND
17	0.018		84	0.036	
19	0.29	Outlier			
20	0.13	Outlier			
21	0.020	ND			
22	0.047	ND			
24	0.30	Outlier,ND			
26	0.025				
28	0.20	Outlier			
29	1.5	Outlier			
30	0.50	Outlier,ND			
32	0.058	ND			
33	0.016	ND			
36	0.031	ND			
38	0.026	ND			
39	0.055				
41	0.10	Outlier,ND			
42	1.1	Outlier,ND			
43	0.0036	ND			
46	0.14	Outlier			
50	0.051				
52	0.030				
53	0.010	ND			
55	0.021				
56	0.011				
58	0.027				
59	0.070				
60	0.023				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	0.95		65	5.6	Outlier,ND
2	6.4	Outlier	66	4.2	Outlier
3	0.60		67	0.50	ND
5	0.67		69	2.7	Outlier
6	0.26		71	1.0	ND
7	22	Outlier	72	0.96	
8	0.76		74	1.3	ND
9	0.77		75	1.2	ND
12	2.3	Outlier	78	0.01	ND
14	0.70	ND	81	0.56	ND
16	1.4		83	1.0	ND
17	0.49		84	0.95	
19	6.9	Outlier			
20	3.3	Outlier			
21	0.60	ND			
22	1.8	ND			
24	7.0	Outlier,ND			
26	0.66				
28	6.2	Outlier			
29	44	Outlier			
30	10	Outlier,ND			
32	1.4	ND			
33	0.45	ND			
36	0.98	ND			
38	0.92	ND			
39	1.4				
41	2.7	Outlier,ND			
42	50	Outlier,ND			
43	0.10	ND			
46	3.9	Outlier			
50	1.8				
52	0.83				
53	0.12	ND			
55	0.55				
56	0.31				
58	0.77				
59	1.7				
60	0.56				

