



Salmon
Congener: PCB 77

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	216		52	189	
2	248		53	165	
3	184		55	188	
4	214		56	187	
5	167		57	180	
6	190		58	194	
7	116		59	174	
8	254		60	194	
9	210		62	190	
10	203		63	190	
11	215		65	745	Outlier
12	200		66	221	
14	180		67	219	
16	212		69	216	
17	181		71	186	
18	200		72	166	
19	0.053	ND	73	198	
20	153		74	180	
21	187		75	163	
22	163		78	196	
24	280		80	157	
26	190		81	212	
28	200		83	192	
29	346		84	144	
30	192		90	168	
32	225				
33	162				
36	160				
38	139				
39	171				
40	190				
41	213				
42	3.5				
43	240				
46	213				
48	160				
50	15				
51	187				



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	2283		52	1880	
2	2480		53	1625	
3	1860		55	1933	
4	2160		56	2121	
5	1689		57	1873	
6	1910		58	2165	
7	1144		59	1912	
8	2554		60	2015	
9	2100		62	2200	
10	2070		63	2100	
11	2150		65	7827	Outlier
12	1900		66	1556	
14	1900		67	2200	
16	2278		69	3925	Outlier
17	1894		71	1880	
18	2048		72	1850	
19	0.54	ND	73	1903	
20	1517		74	1800	
21	1730		75	1620	
22	1737		78	19	
24	3100		80	1947	
26	2090		81	2299	
28	2147		83	1970	
29	3845	Outlier	84	1531	
30	1872		90	1771	
32	2370				
33	1756				
36	970				
38	1387				
39	1620				
40	3000				
41	2202				
42	20				
43	2752				
46	2172				
48	1710				
50	199				
51	2044				



Salmon
Congener: PCB 126

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	72		52	81	
2	92		53	26	
3	81		55	73	
4	82		56	74	
5	71		57	80	
6	80		58	82	
7	64		59	79	
8	110		60	79	
9	86		62	78	
10	77		63	76	
11	82		65	56	
12	86		66	75	
14	74		67	84	
16	89		69	96	
17	70		71	61	
18	85		72	73	
19	67		73	78	
20	65		74	69	
21	86		75	63	
22	71		78	59	
24	95		80	53	
26	77		81	105	
28	67		83	70	
29	180	Outlier	84	67	
30	61		90	71	
32	63				
33	69				
36	75				
38	76				
39	65				
40	76				
41	88				
42	2.0	ND			
43	97				
46	79				
48	77				
50	62				
51	83				



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	757		52	800	
2	916		53	260	
3	817		55	747	
4	826		56	844	
5	720		57	828	
6	802		58	919	
7	630		59	873	
8	1104		60	823	
9	860		62	900	
10	787		63	840	
11	816		65	587	
12	850		66	525	
14	800		67	845	
16	960		69	1744	Outlier
17	728		71	618	
18	868		72	813	
19	684		73	754	
20	647		74	700	
21	796		75	632	
22	757		78	5.6	
24	1100		80	658	
26	860		81	1135	
28	723		83	713	
29	1995	Outlier	84	709	
30	592		90	748	
32	665				
33	754				
36	460				
38	754				
39	617				
40	1200				
41	914				
42	11	ND			
43	1108				
46	810				
48	827				
50	830				
51	911				



Salmon
Congener: PCB 169

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	18		52	17	
2	14		53	12	
3	17		55	7.2	
4	15		56	15	
5	14		57	16	
6	15		58	15	
7	10		59	18	
8	14		60	14	
9	15		62	12	
10	16		63	13	
11	15		65	331	Outlier
12	16		66	19	
14	14		67	17	
16	15		69	15	
17	16		71	14	
18	15		72	14	
19	14		73	14	
20	9.0		74	27	
21	12		75	14	
22	13		78	23	
24	17		80	11	
26	13		81	19	
28	12		83	11	
29	28		84	12	
30	13		90	13	
32	17				
33	14				
36	12				
38	14				
39	13				
40	17				
41	11				
42	2.1	ND			
43	16				
46	16				
48	16				
50	11				
51	211	Outlier			

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	194		52	169	
2	142		53	121	
3	168		55	74	
4	155		56	172	
5	141		57	162	
6	148		58	168	
7	98		59	198	
8	142		60	149	
9	150		62	140	
10	164		63	140	
11	150		65	3474	Outlier
12	150		66	137	
14	150		67	174	
16	163		69	274	
17	163		71	142	
18	157		72	154	
19	139		73	133	
20	89		74	280	
21	112		75	142	
22	142		78	2.2	
24	190		80	141	
26	140		81	206	
28	129		83	115	
29	311	Outlier	84	125	
30	124		90	139	
32	176				
33	151				
36	71				
38	142				
39	119				
40	270				
41	111				
42	12	ND			
43	184				
46	160				
48	168				
50	144				
51	2307	Outlier			



Salmon

Congener: PCB 81

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	4.2		53	3.5	
2	85	Outlier	55	1.7	
3	3.5		56	1.7	
4	3.5		58	3.6	
5	3.3		59	3.4	
6	3.4		60	3.7	
7	132	Outlier	63	3.8	
8	17	Outlier	65	45	Outlier
9	3.3		66	22	Outlier
10	4.1		67	2.9	
11	3.8		69	3.6	
12	4.3		71	3.6	
14	3.1		72	3.1	
16	27	Outlier	73	3.9	
17	3.7		74	2.5	
18	4.3		75	2.7	
19	153	Outlier	78	6.3	ND
20	4.1		81	4.0	
21	38	Outlier	83	3.7	
22	2.0		84	2.9	
24	60	Outlier,ND	90	3.1	
26	4.1				
28	34	Outlier			
29	10	Outlier,ND			
30	2.9				
32	3.8				
33	3.1				
36	1.1				
38	2.8				
39	1.9				
40	10	Outlier,ND			
41	5.2				
42	1.4	ND			
43	1.4				
46	3.9				
50	2.4				
51	15	Outlier			
52	3.7				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	44		53	34	
2	845	Outlier	55	17	
3	36		56	20	
4	35		58	41	
5	33		59	37	
6	34		60	39	
7	1301	Outlier	63	42	
8	175	Outlier	65	473	Outlier
9	33		66	157	Outlier
10	42		67	29	
11	38		69	65	
12	42		71	36	
14	34		72	34	
16	296	Outlier	73	37	
17	38		74	26	
18	44		75	27	
19	1560	Outlier	78	0.60	ND
20	41		81	43	
21	349	Outlier	83	38	
22	22		84	30	
24	700	Outlier,ND	90	33	
26	45				
28	369	Outlier			
29	110	Outlier,ND			
30	29				
32	40				
33	34				
36	6.6				
38	28				
39	18				
40	160	Outlier,ND			
41	54				
42	8.0	ND			
43	16				
46	40				
50	32				
51	168	Outlier			
52	37				

