



# Salmon

Congener: 2,3,7,8-TCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	6.2		43	9.3	
2	7.5		45	7.2	
3	7.6		46	7.4	
4	7.0		47	6.4	
5	6.7		48	9.0	
6	8.3		50	7.0	
7	7.2		51	0.43	
8	9.1		52	8.2	
9	7.9		53	5.8	
10	7.7		55	9.8	
11	7.6		56	7.5	
12	9.4		57	8.1	
13	7.6		58	6.1	
14	6.1		59	7.8	
15	6.6		60	6.7	
16	9.1		62	8.5	
17	7.4		63	8.3	
18	8.7		65	8.8	
19	7.5		66	8.8	
20	6.9		67	8.8	
21	7.8		69	8.7	
22	6.3		71	8.9	
23	8.1		72	6.9	
24	8.2		73	9.9	
26	8.9		74	7.1	
27	8.3		75	8.6	
28	8.1		78	7.6	
29	8.2		79	7811	Outlier
30	7.6		80	7.4	
32	7.8		81	9.7	
33	6.9		82	7.5	
36	8.3		83	8.3	
37	8.9		84	7.7	
38	7.1		86	8.0	
39	6.9		87	11	
40	5.4		88	8.7	
41	8.3		89	7.1	
42	0.06	ND	90	8.6	



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	66		43	106	
2	75		45	67	
3	77		46	75	
4	71		47	65	
5	68		48	96	
6	83		50	85	
7	72		51	4.7	
8	91		52	81	
9	79		53	57	
10	78		55	101	
11	76		56	85	
12	93		57	84	
13	70		58	68	
14	66		59	85	
15	48		60	69	
16	98		62	98	
17	78		63	92	
18	89		65	92	
19	76		66	62	
20	69		67	88	
21	72		69	159	
22	67		71	90	
23	86		72	77	
24	92		73	90	
26	99		74	73	
27	83		75	86	
28	87		78	0.72	
29	92		79	80741	Outlier
30	74		80	92	
32	82		81	105	
33	75		82	150	
36	85		83	85	
37	124		84	82	
38	71		86	110	
39	66		87	118	
40	86		88	123	
41	85		89	77	
42	0.34	ND	90	91	



**Salmon**  
Congener: 1,2,3,7,8-PeCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	1.1		43	1.2	
2	1.1		45	1.0	
3	1.1		46	1.1	
4	1.2		47	0.87	
5	1.1		48	1.2	
6	1.2		50	1.0	
7	0.83		51	14	Outlier
8	0.92		52	1.5	
9	1.2		53	1.1	
10	1.2		55	1.5	
11	1.0		56	1.2	
12	2.1		57	1.3	
13	1.2		58	0.88	
14	1.0		59	1.3	
15	0.93		60	0.83	
16	1.3		62	1.2	
17	1.0		63	1.2	
18	1.1		65	0.070	ND
19	1.1		66	2.0	
20	1.3		67	0.96	
21	1.3		69	1.6	
22	1.8		71	0.96	
23	1.1		72	2.0	
24	1.3		73	1.6	
26	1.2		74	1.1	
27	5.0	Outlier,ND	75	1.2	
28	1.2		78	1.1	
29	1.2		79	1265	Outlier
30	1.3		80	1.1	
32	1.8		81	1.2	
33	1.0		82	4.2	Outlier
36	1.2		83	1.2	
37	1.3		84	1.0	
38	1.1		86	1.7	
39	1.3		87	1.1	
40	0.71		88	1.4	
41	1.5		89	0.99	
42	0.05	ND	90	1.4	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	12		43	14	
2	11		45	9.6	
3	11		46	11	
4	13		47	8.8	
5	11		48	13	
6	12		50	12	
7	8.2		51	149	Outlier
8	9.2		52	15	
9	12		53	11	
10	12		55	15	
11	10		56	14	
12	21		57	14	
13	11		58	9.9	
14	11		59	14	
15	6.7		60	8.7	
16	14		62	14	
17	11		63	13	
18	12		65	0.74	ND
19	11		66	14	
20	13		67	9.6	
21	12		69	29	Outlier
22	19		71	9.7	
23	12		72	22	
24	15		73	15	
26	14		74	11	
27	50	Outlier,ND	75	12	
28	13		78	0.10	
29	13		79	13077	Outlier
30	12		80	13	
32	12		81	13	
33	11		82	84	Outlier
36	13		83	12	
37	18		84	11	
38	11		86	24	
39	13		87	12	
40	11		88	20	
41	15		89	11	
42	0.28	ND	90	15	





# Salmon

Congener: 2,3,4,7,8 PeCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	5.9		43	7.5	
2	6.5		45	6.0	
3	6.6		46	6.3	
4	7.6		47	5.4	
5	5.7		48	6.5	
6	6.5		50	6.3	
7	4.7		51	4.2	
8	6.9		52	7.0	
9	6.6		53	6.3	
10	6.8		55	7.3	
11	6.3		56	6.6	
12	6.4		57	6.9	
13	6.8		58	5.7	
14	5.8		59	7.0	
15	5.4		60	5.3	
16	7.5		62	6.8	
17	6.3		63	6.9	
18	7.3		65	6.9	
19	6.3		66	6.8	
20	7.3		67	6.7	
21	6.5		69	8.2	
22	5.8		71	6.8	
23	7.1		72	6.1	
24	6.6		73	7.4	
26	7.1		74	4.8	
27	6.8		75	7.1	
28	7.6		78	6.3	
29	7.2		79	6659	Outlier
30	6.4		80	6.2	
32	7.1		81	5.2	
33	4.8		82	8.2	
36	6.7		83	7.0	
37	7.8		84	5.5	
38	5.9		86	7.0	
39	6.0		87	0.86	ND
40	4.2		88	8.2	
41	7.3		89	6.5	
42	0.060	ND	90	7.0	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	62		43	86	
2	65		45	56	
3	66		46	64	
4	77		47	55	
5	58		48	69	
6	65		50	77	
7	46		51	46	
8	69		52	69	
9	67		53	62	
10	70		55	75	
11	63		56	75	
12	63		57	71	
13	63		58	64	
14	63		59	77	
15	39		60	55	
16	80		62	78	
17	66		63	76	
18	75		65	72	
19	64		66	48	
20	72		67	67	
21	60		69	149	Outlier
22	62		71	69	
23	76		72	68	
24	74		73	67	
26	79		74	49	
27	68		75	71	
28	82		78	0.60	
29	80		79	68836	Outlier
30	63		80	78	
32	75		81	57	
33	52		82	164	Outlier
36	68		83	72	
37	109		84	58	
38	59		86	97	
39	57		87	9.1	ND
40	67		88	117	
41	76		89	71	
42	0.34	ND	90	74	





# Salmon

Congener: 1,2,3,4,7,8 HxCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.20		43	0.16	
2	0.25		45	0.14	
3	0.15		46	0.20	
4	0.20		47	0.13	
5	0.16		48	0.17	
6	0.15		50	0.28	
7	0.090		51	6.4	Outlier
8	0.14		52	0.31	
9	0.21		53	1.2	Outlier
10	0.21		55	0.19	
11	0.16		56	0.18	
12	0.11	ND	57	0.20	
13	0.24		58	0.17	
14	0.13		59	0.25	
15	0.14		60	0.12	
16	0.16		62	0.15	
17	0.18		63	0.15	
18	0.020	ND	65	0.16	ND
19	0.17		66	0.26	
20	0.17		67	0.19	
21	0.11		69	0.29	
22	0.14		71	0.19	
23	0.25		72	0.19	
24	0.18		73	0.14	
26	0.27		74	0.17	
27	5.0	Outlier,ND	75	0.18	
28	0.17		78	0.15	
29	0.65	Outlier,ND	79	340	Outlier
30	0.13		80	0.18	
32	0.63	Outlier	81	0.20	
33	0.14		82	1.31	Outlier
36	0.20		83	0.15	
37	0.15		84	0.17	
38	0.16		86	0.52	Outlier
39	0.21		87	0.86	Outlier,ND
40	0.24		88	0.12	
41	0.19		89	0.15	
42	0.060	ND	90	0.16	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	2.2		43	1.8	
2	2.5		45	1.3	
3	1.5		46	2.0	
4	2.0		47	1.3	
5	1.6		48	1.8	
6	1.5		50	3.4	
7	0.89		51	70	Outlier
8	1.4		52	3.1	
9	2.1		53	1.2	
10	2.2		55	1.9	
11	1.6		56	2.1	
12	1.1	ND	57	2.0	
13	2.2		58	1.9	
14	1.4		59	2.8	
15	1.0		60	1.2	
16	1.8		62	1.7	
17	1.9		63	1.7	
18	0.20	ND	65	1.7	ND
19	1.7		66	1.9	
20	1.6		67	1.9	
21	1.0		69	5	Outlier
22	1.5		71	1.9	
23	2.7		72	2.2	
24	2.0		73	1.3	
26	3.0		74	1.7	
27	50	Outlier,ND	75	1.8	
28	1.8		78	0.014	
29	7.2	Outlier,ND	79	3515	Outlier
30	1.3		80	2.3	
32	6.6	Outlier	81	2.1	
33	1.5		82	26	Outlier
36	2.0		83	1.6	
37	2.1		84	1.8	
38	1.5		86	7.2	Outlier
39	2.0		87	9.1	Outlier,ND
40	3.8	Outlier	88	1.7	
41	1.9		89	1.7	
42	0.34	ND	90	1.7	







# Salmon

Congener: 1,2,3,6,7,8 HxCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.26		43	0.24	
2	0.41		45	0.21	
3	0.21		46	0.29	
4	0.25		47	0.20	
5	0.21		48	0.23	
6	0.23		50	0.26	
7	0.12		51	2.3	Outlier
8	0.19		52	0.25	
9	0.25		53	0.23	
10	0.28		55	0.26	
11	0.22		56	0.24	
12	0.086	ND	57	0.25	
13	0.26		58	0.23	
14	0.20	ND	59	0.30	
15	0.21		60	0.20	
16	0.22		62	0.22	
17	0.23		63	0.27	
18	0.020	ND	65	0.17	ND
19	0.25		66	0.33	
20	0.25		67	0.23	
21	0.21		69	0.33	
22	0.24		71	0.23	
23	0.36		72	0.22	
24	0.25		73	0.25	
26	0.25		74	0.25	
27	5.0	Outlier,ND	75	0.20	
28	0.23		78	0.22	
29	0.61	Outlier,ND	79	295	Outlier
30	0.21		80	0.22	
32	0.33		81	0.21	
33	0.24		82	0.16	ND
36	0.20		83	0.25	
37	0.30		84	0.21	
38	0.22		86	0.64	Outlier
39	0.35		87	0.86	Outlier,ND
40	0.22		88	0.28	
41	0.27		89	0.19	
42	0.060	ND	90	0.27	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	2.7		43	2.7	
2	4.1		45	2.0	
3	2.2		46	3.0	
4	2.6		47	2.0	
5	2.1		48	2.5	
6	2.3		50	3.2	
7	1.2		51	26	Outlier
8	1.9		52	2.5	
9	2.5		53	2.3	
10	2.8		55	2.7	
11	2.2		56	2.7	
12	0.85	ND	57	2.6	
13	2.4		58	2.6	
14	2.0	ND	59	3.3	
15	1.5		60	2.1	
16	2.4		62	2.5	
17	2.4		63	2.9	
18	0.20	ND	65	1.8	ND
19	2.5		66	2.3	
20	2.5		67	2.3	
21	1.9		69	6.0	Outlier
22	2.5		71	2.3	
23	3.8		72	2.5	
24	2.8		73	2.3	
26	2.8		74	2.6	
27	50	Outlier,ND	75	2.0	
28	2.5		78	0.021	
29	6.8	Outlier,ND	79	3050	Outlier
30	2.0		80	2.8	
32	3.5		81	2.2	
33	2.6		82	3.2	ND
36	2.1		83	2.5	
37	4.2		84	2.3	
38	2.1		86	8.8	Outlier
39	3.3		87	9.1	Outlier,ND
40	3.5		88	4.0	
41	2.8		89	2.1	
42	0.34	ND	90	2.8	





# Salmon

Congener: 2,3,4,6,7,8 HxCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.20		43	0.16	
2	0.29		45	0.10	
3	0.16		46	0.29	
4	0.006		47	0.16	
5	0.17		48	0.16	
6	0.18		50	0.24	
7	0.090		51	1.5	Outlier
8	0.16		52	0.19	
9	0.20		53	0.17	
10	0.21		55	0.22	
11	0.23		56	0.20	
12	0.23		57	0.18	
13	0.18		58	0.12	
14	0.14		59	0.26	
15	0.17		60	0.00	ND
16	0.19		62	0.15	
17	0.17		63	0.19	
18	0.22		65	0.15	ND
19	0.25		66	0.27	
20	0.18		67	0.18	
21	0.19		69	0.28	
22	0.16		71	0.19	
23	0.091	ND	72	0.15	
24	0.20		73	0.27	
26	0.16		74	0.01	ND
27	5.0	Outlier,ND	75	0.18	
28	0.18		78	0.18	
29	0.15		79	229	Outlier
30	0.12		80	0.18	
32	0.29		81	0.16	
33	0.19		82	9.7	Outlier
36	0.16		83	0.21	
37	0.18		84	0.17	
38	0.16		86	0.55	Outlier
39	0.11		87	0.86	Outlier,ND
40	0.15		88	0.16	
41	0.20		89	0.13	
42	0.070	ND	90	0.16	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	2.1		43	1.9	
2	2.9		45	0.96	
3	1.7		46	3.0	
4	0.065		47	1.6	
5	1.7		48	1.8	
6	1.8		50	3.1	
7	0.89		51	16	Outlier
8	1.6		52	1.9	
9	2.0		53	1.7	
10	2.1		55	2.2	
11	2.3		56	2.3	
12	2.3		57	1.8	
13	1.7		58	1.4	
14	1.4		59	2.8	
15	1.2		60	1.3	
16	2.0		62	1.8	
17	1.8		63	2.1	
18	2.3		65	1.6	ND
19	2.5		66	1.9	
20	1.8		67	1.9	
21	1.7		69	5.0	Outlier
22	1.7		71	1.9	
23	0.36	ND	72	1.7	
24	2.3		73	2.4	
26	1.7		74	0.10	ND
27	50	Outlier,ND	75	1.8	
28	1.9		78	0.017	
29	1.7		79	2371	Outlier
30	1.1		80	2.3	
32	3.1		81	1.7	
33	2.0		82	194	Outlier
36	1.7		83	2.0	
37	2.5		84	1.8	
38	1.6		86	7.6	Outlier
39	1.0		87	9.1	Outlier,ND
40	2.4		88	2.3	
41	2.1		89	1.4	
42	0.40	ND	90	1.7	





# Salmon

Congener: 1,2,3,7,8,9 HxCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.011	ND	43	0.0040	ND
2	0.041	Outlier	45	0.0069	ND
3	0.010	ND	46	0.10	Outlier
4	0.156	Outlier	47	0.17	Outlier,ND
5	0.0049		48	0.042	Outlier,ND
6	0.021		50	0.017	
7	0.015	ND	51	1.0	Outlier
8	0.0045		52	0.010	ND
9	0.015	ND	53	0.020	ND
10	0.020		55	0.057	Outlier
11	0.016		56	0.010	ND
12	0.022	ND	57	0.0083	
13	0.0060		58	0.052	Outlier,ND
14	0.0060	ND	59	0.010	ND
15	0.0095		60	0.12	Outlier
16	0.0093	ND	62	0.015	
17	0.0080	ND	63	0.020	ND
18	0.020	ND	65	0.16	Outlier,ND
19	0.25	Outlier	66	0.028	ND
20	0.016		67	0.0099	
21	0.017	ND	69	0.032	
22	0.015	ND	71	0.0099	
23	0.28	Outlier	72	0.027	
24	0.040	Outlier,ND	73	0.0078	ND
26	0.0080	ND	74	0.18	Outlier
27	5.0	Outlier,ND	75	0.0070	
28	0.0043		78	0.0083	ND
29	0.16	Outlier,ND	79	16	Outlier
30	0.010	ND	80	0.030	ND
32	0.036	ND	81	0.010	
33	0.0037	ND	82	0.30	Outlier
36	0.0097	ND	83	0.020	ND
37	0.021	ND	84	0.010	ND
38	0.023	ND	86	0.41	Outlier
39	0.49	Outlier	87	0.86	Outlier,ND
40	0.054	Outlier	88	0.024	ND
41	0.0060		89	0.0069	ND
42	0.090	Outlier,ND	90	0.010	ND

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	0.11	ND	43	0.050	ND
2	0.41	Outlier	45	0.065	ND
3	0.10	ND	46	1.1	Outlier
4	1.6	Outlier	47	1.7	Outlier,ND
5	0.050		48	0.45	Outlier,ND
6	0.21		50	0.20	
7	0.15	ND	51	11	Outlier
8	0.045		52	0.060	ND
9	0.15	ND	53	0.18	ND
10	0.20		55	0.59	Outlier
11	0.16		56	0.11	ND
12	0.22	ND	57	0.086	
13	0.058		58	0.58	Outlier,ND
14	0.060	ND	59	0.10	ND
15	0.069		60	0.091	ND
16	0.10	ND	62	0.17	
17	0.080	ND	63	0.20	ND
18	0.20	ND	65	1.7	Outlier,ND
19	2.5	Outlier	66	0.20	ND
20	0.16		67	0.10	
21	0.15	ND	69	0.58	Outlier
22	0.16	ND	71	0.10	
23	3.0	Outlier	72	0.30	
24	0.50	Outlier,ND	73	0.071	ND
26	0.10	ND	74	1.8	Outlier
27	50	Outlier,ND	75	0.070	
28	0.046		78	0.00079	ND
29	1.8	Outlier,ND	79	161	Outlier
30	0.50	Outlier,ND	80	0.37	ND
32	0.32	ND	81	0.060	
33	0.040	ND	82	6.1	Outlier
36	0.10	ND	83	0.20	ND
37	0.29	ND	84	0.11	ND
38	0.23	ND	86	5.6	Outlier
39	4.7	Outlier	87	9.1	Outlier,ND
40	0.86	Outlier	88	0.34	ND
41	0.062		89	0.078	ND
42	0.51	Outlier,ND	90	0.13	ND





# Salmon

Congener: 1,2,3,4,6,7,8 HpCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.037		43	0.029	
2	0.65	Outlier	45	0.011	
3	0.030		46	0.11	Outlier
4	0.031		47	0.064	ND
5	0.029		48	0.083	ND
6	0.015		50	0.044	
7	0.027	ND	51	8.4	Outlier
8	0.049		52	0.020	ND
9	0.093	Outlier	53	0.050	
10	0.044		55	0.024	
11	0.020		56	0.025	ND
12	0.084		57	0.23	Outlier
13	0.052		58	0.033	
14	0.020	ND	59	0.065	
15	0.029		60	0.011	ND
16	0.12	Outlier	62	0.030	
17	0.0080	ND	63	0.020	ND
18	0.020	ND	65	9.4	Outlier
19	0.0050	ND	66	0.075	
20	0.044		67	0.023	
21	0.038		69	0.041	
22	0.055		71	0.024	
23	0.67	Outlier	72	0.059	
24	0.20	Outlier,ND	73	0.090	Outlier
26	0.023		74	0.029	
27	5.0	Outlier,ND	75	0.018	
28	0.022		78	0.034	ND
29	0.11	Outlier	79	394	Outlier
30	0.67	Outlier	80	0.074	
32	0.076		81	0.020	
33	0.053		82	2.0	Outlier
36	0.044		83	0.035	
37	0.078		84	0.025	
38	0.014	ND	86	0.79	Outlier
39	0.061		87	0.86	Outlier,ND
40	0.24	Outlier	88	0.062	
41	0.065		89	0.023	
42	0.10	Outlier,ND	90	0.023	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	0.39		43	0.33	
2	6.5	Outlier	45	0.10	
3	0.34		46	1.2	Outlier
4	0.31		47	0.65	ND
5	0.29		48	0.89	ND
6	0.15		50	1.6	Outlier
7	0.27	ND	51	92	Outlier
8	0.49		52	0.20	ND
9	0.93		53	0.48	
10	0.45		55	0.25	
11	0.20		56	0.28	ND
12	0.83		57	2.4	Outlier
13	0.49		58	0.36	
14	0.20	ND	59	0.71	
15	0.21		60	0.11	ND
16	1.2	Outlier	62	0.34	
17	0.080	ND	63	0.20	ND
18	0.20	ND	65	99	Outlier
19	0.05	ND	66	0.53	
20	0.43		67	0.23	
21	0.35		69	0.74	
22	0.58		71	0.24	
23	7.2	Outlier	72	0.66	
24	2.0	Outlier,ND	73	0.81	
26	0.25		74	0.30	
27	50	Outlier,ND	75	0.18	
28	0.24		78	0.0032	ND
29	1.2	Outlier	79	4076	Outlier
30	6.6	Outlier	80	0.92	
32	0.49		81	0.21	
33	0.58		82	41	Outlier
36	0.45		83	0.36	
37	1.1	Outlier	84	0.26	
38	0.14	ND	86	11	Outlier
39	0.58		87	9.1	Outlier,ND
40	3.8	Outlier	88	0.88	
41	0.67		89	0.24	
42	0.57	ND	90	0.24	







# Salmon

Congener: 1,2,3,4,7,8,9 HpCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.0089	ND	43	0.0040	ND
2	0.12	Outlier	45	0.0013	ND
3	0.020	ND	46	0.11	Outlier
4	0.011		47	0.14	Outlier,ND
5	0.0099	ND	48	0.042	Outlier,ND
6	0.0060		50	0.015	
7	0.026	ND	51	0.20	Outlier
8	0.0078		52	0.010	ND
9	0.020	ND	53	0.020	ND
10	0.030	ND	55	0.015	ND
11	0.010		56	0.015	ND
12	0.031	Outlier	57	0.014	ND
13	0.0060		58	0.0059	
14	0.0060	ND	59	0.013	
15	0.025		60	0.013	ND
16	0.010		62	0.0041	ND
17	0.0080	ND	63	0.020	ND
18	0.020	ND	65	0.18	Outlier,ND
19	0.0050	ND	66	0.043	Outlier,ND
20	0.015		67	0.0060	
21	0.014	ND	69	0.058	Outlier
22	0.015		71	0.0059	
23	0.10	Outlier,ND	72	0.020	ND
24	0.030	ND	73	0.055	Outlier,ND
26	0.010	ND	74	0.010	ND
27	5.0	Outlier,ND	75	0.0050	ND
28	0.0023		78	0.044	Outlier,ND
29	0.21	Outlier,ND	79	90	Outlier
30	0.050	Outlier,ND	80	0.017	ND
32	0.034	Outlier,ND	81	0.0040	ND
33	0.0028	ND	82	0.33	Outlier,ND
36	0.014	ND	83	0.030	ND
37	0.021	ND	84	0.0066	ND
38	0.014	ND	86	0.40	Outlier
39	0.055	Outlier	87	0.86	Outlier,ND
40	0.029		88	0.028	ND
41	0.011		89	0.00074	ND
42	0.20	Outlier,ND	90	0.010	ND

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	0.093	ND	43	0.050	ND
2	1.2	Outlier	45	0.012	ND
3	0.20	ND	46	1.09	Outlier
4	0.11		47	1.40	Outlier,ND
5	0.10	ND	48	0.45	Outlier,ND
6	0.060		50	0.18	
7	0.26	ND	51	2.2	Outlier
8	0.078		52	0.070	ND
9	0.20	ND	53	0.19	ND
10	0.31	ND	55	0.15	ND
11	0.10		56	0.17	ND
12	0.31		57	0.15	ND
13	0.052		58	0.066	
14	0.070	ND	59	0.14	
15	0.18		60	0.13	ND
16	0.11		62	0.048	ND
17	0.080	ND	63	0.20	ND
18	0.20	ND	65	1.9	Outlier,ND
19	0.053	ND	66	0.30	ND
20	0.15		67	0.060	
21	0.13	ND	69	1.0	Outlier
22	0.16		71	0.060	
23	0.33	ND	72	0.23	ND
24	0.30	ND	73	0.49	Outlier,ND
26	0.12	ND	74	0.10	ND
27	50	Outlier,ND	75	0.050	ND
28	0.025		78	0.0042	ND
29	2.3	Outlier,ND	79	935	Outlier
30	1.0	Outlier,ND	80	0.21	ND
32	0.35	Outlier,ND	81	0.040	ND
33	0.030	ND	82	6.5	Outlier,ND
36	0.14	ND	83	0.30	ND
37	0.29	ND	84	0.070	ND
38	0.14	ND	86	5.5	Outlier
39	0.52	Outlier	87	9.1	Outlier,ND
40	0.46	Outlier	88	0.40	Outlier,ND
41	0.11		89	0.0080	ND
42	1.1	Outlier,ND	90	0.11	ND



# Salmon

Congener: 1,2,3,4,6,7,8,9 OCDF

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	0.061		43	0.083	
2	0.75	Outlier	45	0.019	
3	0.070		46	0.25	Outlier
4	0.066		47	0.10	ND
5	0.054		48	0.14	
6	0.036		50	0.22	Outlier
7	0.040		51	0.97	Outlier
8	0.11		52	0.050	
9	0.10		53	0.030	ND
10	0.095		55	0.057	
11	0.063		56	0.044	ND
12	0.065		57	0.12	
13	0.13		58	0.041	
14	0.030	ND	59	0.12	
15	0.072		60	0.019	ND
16	0.053		62	0.068	
17	0.080	ND	63	0.050	ND
18	0.040	ND	65	0.31	Outlier,ND
19	0.014	ND	66	0.10	
20	0.89	Outlier	67	0.050	
21	0.072		69	0.14	
22	0.077		71	0.052	
23	0.45	Outlier	72	0.17	Outlier
24	0.30	Outlier,ND	73	0.11	
26	0.041		74	0.058	
27	10	Outlier,ND	75	0.045	
28	0.060		78	0.099	ND
29	3.8	Outlier,ND	79	1537	Outlier
30	0.46	Outlier	80	0.054	
32	0.082		81	0.070	
33	0.098		82	0.21	Outlier
36	0.011	ND	83	0.066	
37	0.090		84	0.055	
38	0.084		86	1.1	Outlier
39	0.079		87	1.7	Outlier,ND
40	0.27	Outlier	88	0.078	
41	0.13		89	0.036	
42	0.20	Outlier,ND	90	0.045	

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	0.64		43	1.2	
2	7.51	Outlier	45	0.17	
3	0.67		46	2.6	Outlier
4	0.67		47	1.1	ND
5	0.55		48	1.5	
6	0.37		50	2.5	Outlier
7	0.40		51	11	Outlier
8	1.1		52	0.45	
9	1.0		53	0.28	ND
10	0.96		55	0.59	
11	0.63		56	0.50	ND
12	0.64		57	1.3	
13	1.2		58	0.46	
14	0.30	ND	59	1.3	
15	0.52		60	0.20	ND
16	0.57		62	0.78	
17	0.80	ND	63	0.60	ND
18	0.40	ND	65	3.2	Outlier,ND
19	0.14	ND	66	0.72	
20	8.9	Outlier	67	0.50	
21	0.67		69	2.6	Outlier
22	0.82		71	0.52	
23	4.8	Outlier	72	1.9	Outlier
24	4.0	Outlier,ND	73	1.0	
26	0.45		74	0.59	
27	100	Outlier,ND	75	0.45	
28	0.64		78	0.0087	ND
29	43	Outlier,ND	79	15890	Outlier
30	4.4	Outlier	80	0.67	
32	0.62	ND	81	0.77	
33	1.1		82	4.2	Outlier
36	0.11	ND	83	0.68	
37	1.3		84	0.58	
38	0.83		86	15	Outlier
39	0.75		87	18	Outlier,ND
40	4.3	Outlier	88	1.1	
41	1.3		89	0.39	
42	1.1	ND	90	0.47	

