



## Cheese

Congener: PCB 105

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	23		63	25	
2	23		65	40	
3	22		66	24	
4	80	Outlier	67	29	
5	24		69	18	
6	24		71	27	
7	31		72	36	
8	31		73	36	
9	25		74	22	
11	30		75	28	
12	0.033		78	19	
14	27		81	22	
16	26		83	24	
17	21		84	23	
20	27				
21	23				
22	19				
24	25				
26	22				
28	24				
29	22	ND			
32	20				
33	39				
36	2400	Outlier			
39	17				
40	25				
41	27				
42	4210	Outlier			
46	48				
48	19				
50	28				
51	21				
52	30				
55	36				
56	22				
58	25				
59	41				
60	23				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	103		63	110	
2	114		65	152	
3	88		66	101	
4	348	Outlier	67	123	
5	100		69	88	
6	99		71	114	
7	124		72	141	
8	122		73	154	
9	100		74	88	
11	115		75	111	
12	0.16		78	3	
14	110		81	93	
16	115		83	97	
17	88		84	95	
20	111				
21	88				
22	111				
24	120				
26	112				
28	102				
29	100	ND			
32	118				
33	161				
36	6400	Outlier			
39	87				
40	160				
41	112				
42	52889	Outlier			
46	213				
48	94				
50	123				
51	962	Outlier			
52	100				
55	163				
56	92				
58	102				
59	168				
60	89				





## Cheese

Congener: PCB 114

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	2.3		65	0.92	ND
2	2.0		66	1.5	
3	4.9	Outlier,ND	67	2.2	
4	7.8	Outlier	69	1.7	
5	2.1		71	2.3	
6	2.1		72	2.8	
7	2.6		73	1.5	
8	1.9		74	1.8	
9	2.3		75	2.9	
11	2.1	ND	78	1.8	
12	0.0039		81	1.4	ND
14	2.0	ND	83	2.5	ND
16	2.5		84	4.8	Outlier,ND
17	2.2				
20	2.9				
21	2.1				
22	2.1				
24	2.2				
26	0.80	ND			
28	2.1				
29	22	Outlier,ND			
32	1.8				
33	3.1				
36	100	Outlier			
39	1.5				
40	10	Outlier,ND			
41	2.2				
42	242	Outlier			
46	4.8	Outlier			
50	2.4				
51	1.7				
52	10	Outlier,ND			
55	2.6				
56	2.7				
58	2.2				
59	3.6				
60	2.1				
63	2.6				



Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	10		65	3.5	ND
2	10		66	6.3	
3	20	ND	67	9.4	
4	34	Outlier	69	8.3	
5	8.7		71	9.6	
6	9.0		72	11	
7	11		73	6.0	
8	7.6		74	7.2	
9	9.5		75	12	
11	8.0	ND	78	0.32	
12	0.019		81	6.0	ND
14	9.0	ND	83	10	ND
16	11		84	20	ND
17	9.1				
20	12				
21	8.0				
22	13				
24	10				
26	4.0	ND			
28	8.9				
29	100	Outlier,ND			
32	11				
33	13				
36	260	Outlier			
39	7.5				
40	60	Outlier,ND			
41	9.1				
42	3040	Outlier			
46	21	Outlier			
50	10				
51	77	Outlier			
52	60	Outlier,ND			
55	12				
56	11				
58	9.2				
59	15				
60	8.2				
63	11				



**Cheese**  
Congener: PCB 118

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	114		63	130	
2	105		65	189	
3	113		66	119	
4	340	Outlier	67	134	
5	116		69	91	
6	118		71	149	
7	137		72	169	
8	164		73	169	
9	130		74	110	
11	120		75	150	
12	0.13		78	102	
14	120		81	124	
16	132		83	128	
17	120		84	121	
20	118				
21	114				
22	100				
24	120				
26	110				
28	136				
29	22	ND			
32	104				
33	162				
36	4600	Outlier			
39	79				
40	120				
41	139				
42	12300	Outlier			
46	197				
48	95				
50	130				
51	83				
52	140				
55	115				
56	135				
58	125				
59	190				
60	125				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	516		63	570	
2	530		65	722	
3	459		66	497	
4	1480	Outlier	67	571	
5	481		69	436	
6	493		71	619	
7	558		72	672	
8	643		73	721	
9	560		74	440	
11	465		75	598	
12	0.62		78	18	
14	510		81	533	
16	574		83	510	
17	503		84	506	
20	478				
21	436				
22	596				
24	550				
26	560				
28	567				
29	100	ND			
32	627				
33	676				
36	12000	Outlier			
39	400				
40	750				
41	575				
42	154523	Outlier			
46	865				
48	471				
50	565				
51	3779	Outlier			
52	570				
55	516				
56	567				
58	519				
59	779				
60	494				





## Cheese

Congener: PCB 123

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	1.7		66	1.7	
2	1.2		67	2.1	
3	6.5	Outlier	69	1.3	
4	7.0	Outlier	71	2.1	
5	1.1		72	2.5	ND
6	1.8		73	1.3	ND
7	8.2	Outlier	74	1.5	
8	1.8		75	1.9	
9	1.8		78	1.5	
12	0.0031		81	1.9	
14	2.0	ND	83	2.5	ND
16	2.6		84	4.8	Outlier,ND
17	2.5				
20	3.0				
21	1.6				
22	1.5				
24	2.0	ND			
26	0.80	ND			
28	1.4				
29	22	Outlier,ND			
32	2.5				
33	3.3				
36	100	Outlier			
39	1.2				
40	10	Outlier,ND			
41	2.0				
42	2450	Outlier			
46	2.7				
50	4.3	Outlier			
51	9.7	Outlier			
52	10	Outlier,ND			
55	1.5				
56	1.7				
58	1.6				
59	2.2				
60	2.2				
63	2.0				
65	0.89	ND			

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	7.5		66	7.0	
2	6.2		67	8.8	
3	26	Outlier	69	6.3	
4	31	Outlier	71	8.7	
5	4.5		72	10	ND
6	7.4		73	5.2	ND
7	33	Outlier	74	6.0	
8	7.0		75	7.5	
9	7.5		78	0.26	
12	0.015		81	7.9	
14	7.0	ND	83	10	ND
16	11		84	20	Outlier,ND
17	11				
20	12				
21	6.0				
22	8.8				
24	9.0	ND			
26	4.0	ND			
28	5.9				
29	100	Outlier,ND			
32	15				
33	14				
36	270	Outlier			
39	5.9				
40	60	Outlier,ND			
41	8.3				
42	30779	Outlier			
46	12				
50	19	Outlier			
51	443	Outlier			
52	60	Outlier,ND			
55	6.6				
56	6.9				
58	6.6				
59	9.0				
60	8.6				
63	8.0				
65	3.4	ND			







**Cheese**  
Congener: PCB 156

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	13		63	17	
2	13		65	1.1	ND
3	16		66	16	
4	38	Outlier	67	18	
5	15		69	11	
6	14		71	19	
7	18		72	18	
8	20		73	28	
9	17		74	13	
11	16		75	19	
12	0.017		78	13	
14	20	ND	81	16	
16	15		83	16	
17	13		84	15	
20	14				
21	12				
22	12				
24	14				
26	15				
28	15				
29	22	ND			
32	16				
33	15				
36	1100	Outlier			
39	9.5				
40	14				
41	13				
42	1740	Outlier			
46	18				
48	12				
50	17				
51	11				
52	20				
55	15				
56	16				
58	15				
59	19				
60	15				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	60		63	72	
2	65		65	4.1	ND
3	66		66	68	
4	165	Outlier	67	75	
5	62		69	51	
6	58		71	78	
7	74		72	70	
8	79		73	120	
9	72		74	52	
11	63		75	75	
12	0.082		78	2.3	
14	70	ND	81	67	
16	65		83	63	
17	55		84	64	
20	57				
21	46				
22	74				
24	65				
26	75				
28	62				
29	100	ND			
32	94				
33	61				
36	2800	Outlier			
39	49				
40	88				
41	55				
42	21859	Outlier			
46	79				
48	59				
50	72				
51	513	Outlier			
52	90				
55	69				
56	69				
58	61				
59	77				
60	60				





## Cheese

Congener: PCB 157

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	2.6		63	3.2	
2	2.2		65	8.6	Outlier,ND
3	9.9	Outlier,ND	66	2.4	
4	4.2		67	2.4	
5	2.5		69	1.5	
6	2.4		71	2.7	
7	3.0		72	3.0	
8	2.4		73	3.9	
9	2.7		74	2.6	
11	2.8		75	3.1	
12	0.0069	ND	81	2.6	
14	2.9		83	2.5	
16	2.4		84	2.6	
17	2.4				
20	2.6				
21	2.1				
22	2.0				
24	2.2				
26	3.1				
28	2.6				
29	22	Outlier,ND			
32	3.1				
33	2.9				
36	210	Outlier			
39	1.8				
40	10	Outlier,ND			
41	2.2				
42	332	Outlier			
46	3.3				
48	2.2				
50	2.4				
51	1.7				
52	10	Outlier,ND			
55	1.6				
56	0.72				
58	2.6				
59	3.1				
60	2.7				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	12		63	14	
2	11		65	4.1	ND
3	40	Outlier,ND	66	9.8	
4	18		67	10	
5	10		69	7.4	
6	10		71	11	
7	12		72	12	
8	9.4		73	17	
9	11		74	10	
11	11		75	12	
12	0.034	ND	81	11	
14	12		83	10	
16	10		84	11	
17	10				
20	10				
21	8.0				
22	12				
24	10				
26	16				
28	11				
29	100	Outlier,ND			
32	19				
33	12				
36	550	Outlier			
39	9.3				
40	60	Outlier,ND			
41	9.1				
42	4171	Outlier			
46	15				
48	11				
50	11				
51	79	Outlier			
52	60	Outlier,ND			
55	7.4				
56	3.0				
58	11				
59	13				
60	11				





## Cheese

Congener: PCB 167

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	7.7		65	1.1	ND
2	20	Outlier	66	7.2	
3	9.9	ND	67	9.5	
4	18	Outlier	69	17	
5	7.7		71	9.8	
6	7.4		72	11	
7	12		73	14	
8	10		74	7.6	
9	25	Outlier	75	11	
11	8.5		78	6.1	
12	0.0067		81	8.9	
14	7.0	ND	83	9.8	
16	8.7		84	11	
17	6.2				
20	22	Outlier			
21	6.8				
22	6.7				
24	7.0				
26	6.0				
28	24	Outlier			
29	22	Outlier,ND			
32	8.5				
33	8.6				
36	500	Outlier			
39	5.5				
40	10				
41	8.2				
42	1010	Outlier			
46	12				
50	8.3				
51	6.7				
52	10	ND			
55	9.3				
56	0.010	ND			
58	7.6				
59	9.5				
60	8.2				
63	8.6				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	35		65	4.1	ND
2	100	Outlier	66	30	
3	40	ND	67	41	
4	78	Outlier	69	83	Outlier
5	32		71	41	
6	31		72	42	
7	48		73	58	
8	40		74	30	
9	110	Outlier	75	42	
11	33		78	1.1	
12	0.033		81	38	
14	30	ND	83	39	
16	38		84	46	
17	26				
20	89	Outlier			
21	26				
22	40				
24	33				
26	30				
28	100	Outlier			
29	100	Outlier,ND			
32	51				
33	36				
36	1300	Outlier			
39	28				
40	60				
41	34				
42	12688	Outlier			
46	54				
50	36				
51	305	Outlier			
52	60	ND			
55	42				
56	0.042	ND			
58	32				
59	39				
60	32				
63	37				



## Cheese

Congener: PCB 189

Lab code	Conc. pg/g fw.	Notes	Lab code	Conc. pg/g fw.	Notes
1	1.3		65	2.1	ND
2	1.0		66	0.8	
3	9.9	Outlier,ND	67	0.68	
4	2.9		69	1.0	
5	1.4		71	1.5	
6	1.3		72	2.5	ND
7	2.0		73	3.2	Outlier
8	0.88		74	1.2	
9	1.9		75	1.8	
11	1.5		78	0.79	ND
12	0.0090	ND	81	1.6	ND
14	2.0	ND	83	2.5	ND
16	0.64		84	1.5	
17	1.4				
20	1.5				
21	2.1				
22	1.1				
24	1.1				
26	1.9				
28	1.3				
29	2.2	Outlier,ND			
32	2.0				
33	3.6	Outlier			
36	70	Outlier			
39	0.86				
40	10	Outlier,ND			
41	1.3				
42	129	Outlier			
46	1.9				
50	1.5				
51	0.88				
52	10	Outlier,ND			
55	2.1				
56	0.010	ND			
58	1.2				
59	1.4				
60	1.1				
63	1.3				

Lab code	Conc. pg/g lw.	Notes	Lab code	Conc. pg/g lw.	Notes
1	5.8		65	8.0	ND
2	5.2		66	3.2	
3	40	Outlier,ND	67	2.9	
4	12.4		69	4.9	
5	5.6		71	6.1	
6	5.4		72	10	ND
7	8.2		73	13	Outlier
8	3.4		74	4.8	
9	7.9		75	7.3	
11	6.0		78	0.14	ND
12	0.044	ND	81	7.0	ND
14	7.0	ND	83	10	ND
16	2.8		84	6.2	
17	3.4				
20	6.0				
21	8.0				
22	6.8				
24	5.4				
26	9.5				
28	5.3				
29	100	Outlier,ND			
32	12				
33	15	Outlier			
36	180	Outlier			
39	4.4				
40	60	Outlier,ND			
41	5.4				
42	1621	Outlier			
46	8.5				
50	6.5				
51	40	Outlier			
52	60	Outlier,ND			
55	9.2				
56	0.042	ND			
58	5.2				
59	5.7				
60	4.3				
63	6.0				

