

Risk-assessment – events of longer duration for children and adolescents

Risk factor	Risk-assessment	Risk-reducing measures
Indoor or outdoor activities	The risk of infection is greater indoors than outdoors	Can the entire or parts of the event be conducted outside?
Number of supervisors	Insufficient number of supervisors may increase the risk of infection	Increase the number of supervisors
Number of participants	A large number of participants increases risk of infection	Limit the number of participants
Participants from different geographical areas	Increased risk of virus transmission between different geographical areas	Consider allowing only participants from a limited geographical area to participate at the same time Consider postponing or cancelling the event
Meals/serving of food and beverages	Meals with close contact between persons may increase the risk of infection	Facilitate sufficient distance between participants during meals Consider whether meals may be served outside or at different times for different groups Food should be served in portions
Overnight accommodation	Overnight accommodation may increase close contact between participants	Ensure a distance of at least 1 meter between beds Consider avoiding overnight accommodation
Sanitary facilities	Use of common sanitary facilities may increase the risk of infection	Ensure sufficient access to and cleaning of sanitary facilities
Transportation	Transportation to and from events is often associated with infection risk due to close contact	Limit the use of public transportation/car-pooling if possible Ensure at least 1 meter between persons on public transportation/car-pooling See veileder for kollektivtransport (only in Norwegian)