



Lamb
Congener: 2,3,7,8 TCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0019	-1,8				
4	0,0034	0,67	ND			
6	0,0022	-1,3				
11	0,0021	-1,6				
14	0,0076	7,7	Outlier			
15	0,0030	0,0000	ND			
18	0,020	28	Outlier,ND			
22	0,0025	-0,85				
25	0,0044	2,4				
28	0,0065	5,9				
30	0,040	62	Outlier,ND			
39	0,0030	0,0000	ND			
40	0,0060	5,0	ND			
43	0,0030	0,020				
54	0,0030	0,0000	ND			
58	0,0030	0,0000	ND			
62	0,0022	-1,3				
65	0,0040	1,7	ND			
70	0,063	100	Outlier,ND			
74	0,017	23	Outlier,ND			
76	0,16	268	Outlier			
79	0,0030	0,0000				
80	0,0028	-0,33	ND			
93	0,0030	0,0000	ND			
98	0,019	26	Outlier,ND			
100	0,0040	1,7	ND			
108	0,0049	3,2				

Consensus statistics

Consensus median, pg/g	0,0030
Median all values pg/g	0,0034
Consensus mean, pg/g	0,0034
Standard deviation, pg/g	0,0013
Relative standard deviation, %	37
No. of values reported	27
No. of values removed	7
No. of reported non-detects	15





Lamb
Congener: 1,2,3,7,8 PeCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0054	-0,89				
4	0,020	10	Outlier,ND			
6	0,0038	-2,1				
11	0,0060	-0,41				
14	0,011	3,1				
15	0,0070	0,33	ND			
18	0,020	10	Outlier,ND			
22	0,0066	0,0000				
25	0,0052	-1,1				
28	0,0057	-0,63				
30	0,040	25	Outlier,ND			
39	0,0060	-0,44				
40	0,0070	0,33	ND			
43	0,0093	2,1				
54	0,0030	-2,7				
58	0,0030	-2,7				
62	0,0068	0,21				
65	0,0070	0,33				
70	0,063	43	Outlier,ND			
74	0,017	7,7	Outlier,ND			
76	0,71	538	Outlier			
79	0,0080	1,1				
80	0,015	6,4	Outlier			
93	0,0090	1,8	ND			
98	0,022	11	Outlier,ND			
100	0,010	2,6	ND			
108	0,0042	-1,8	ND			

Consensus statistics

Consensus median, pg/g	0,0066
Median all values pg/g	0,0070
Consensus mean, pg/g	0,0065
Standard deviation, pg/g	0,0022
Relative standard deviation, %	34
No. of values reported	27
No. of values removed	8
No. of reported non-detects	11





Lamb
Congener: 1,2,3,4,7,8 HxCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0061	0,063				
4	0,0060	-0,020	ND			
6	0,0050	-0,82				
11	0,0054	-0,51				
14	0,010	3,4				
15	0,0060	-0,020				
18	0,10	78	Outlier,ND			
22	0,0086	2,1				
25	0,0070	0,84				
28	0,0057	-0,28				
30	0,050	37	Outlier,ND			
39	0,0075	1,2	ND			
40	0,0060	-0,020	ND			
43	0,0060	0,0000				
54	0,0040	-1,7				
58	0,0050	-0,85				
62	0,0081	1,8				
65	0,0090	2,5				
70	0,13	103	Outlier,ND			
74	0,017	8,8	Outlier,ND			
76	1,2	1013	Outlier			
79	0,0070	0,81				
80	0,013	5,8				
93	0,0040	-1,7	ND			
98	0,019	11	Outlier,ND			
100	0,010	3,3				
108	0,0042	-1,5	ND			

Consensus statistics



Consensus median, pg/g	0,0060
Median all values pg/g	0,0070
Consensus mean, pg/g	0,0068
Standard deviation, pg/g	0,0023
Relative standard deviation, %	33
No. of values reported	27
No. of values removed	6
No. of reported non-detects	10



Lamb
Congener: 1,2,3,6,7,8 HxCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0082	0,13				
4	0,0080	0,0000				
6	0,014	3,8				
11	0,0067	-0,80				
14	0,0088	0,52				
15	0,0070	-0,63				
18	0,10	58	Outlier,ND			
22	0,0083	0,21				
25	0,0063	-1,1				
28	0,0093	0,83				
30	0,050	26	Outlier,ND			
39	0,0075	-0,31	ND			
40	0,0070	-0,63				
43	0,0048	-2,0				
54	0,0090	0,62				
58	0,0090	0,62				
62	0,0076	-0,27				
65	0,056	30	Outlier			
70	0,13	76	Outlier,ND			
74	0,017	5,4	ND			
76	1,3	785	Outlier			
79	0,0080	0,0000				
80	0,0060	-1,3				
93	0,0040	-2,5	ND			
98	0,019	6,7	Outlier,ND			
100	0,013	3,1				
108	0,0042	-2,4	ND			

Consensus statistics	
Consensus median, pg/g	0,0080
Median all values pg/g	0,0083
Consensus mean, pg/g	0,0083
Standard deviation, pg/g	0,0031
Relative standard deviation, %	38
No. of values reported	27
No. of values removed	6
No. of reported non-detects	8





Lamb
Congener: 1,2,3,7,8,9 HxCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0016	-2,8				
4	0,0070	4,6	ND			
6	0,0017	-2,6				
11	0,0049	1,8	ND			
14	0,0022	-2,0				
15	0,0030	-0,90				
18	0,10	132	Outlier,ND			
22	0,0033	-0,47				
25	0,00033	-4,6				
28	0,0041	0,56				
30	0,050	63	Outlier,ND			
39	0,0075	5,3	ND			
40	0,0050	1,8	ND			
43	0,0023	-1,9				
54	0,0030	-0,90	ND			
58	0,0030	-0,90	ND			
62	0,0049	1,7				
65	0,013	13	Outlier			
70	0,13	173	Outlier,ND			
74	0,017	18	Outlier,ND			
76	1,1	1553	Outlier			
79	0,0030	-0,90				
80	0,0062	3,5	ND			
93	0,0040	0,47	ND			
98	0,020	22	Outlier,ND			
100	0,0060	3,2	ND			
108	0,0042	0,74	ND			

Consensus statistics



Consensus median, pg/g	0,0037
Median all values pg/g	0,0049
Consensus mean, pg/g	0,0039
Standard deviation, pg/g	0,0019
Relative standard deviation, %	49
No. of values reported	27
No. of values removed	7
No. of reported non-detects	15



Lamb
Congener: 1,2,3,4,6,7,8 HpCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,017	-0,95				
4	0,027	1,5				
6	0,0093	-2,8				
11	0,040	4,4	ND			
14	0,024	0,79				
15	0,022	0,24				
18	0,10	19	Outlier,ND			
22	0,020	-0,30				
25	0,022	0,20				
28	0,028	1,7				
30	0,050	6,9	Outlier,ND			
39	0,11	20	Outlier			
40	0,0090	-2,9				
43	0,018	-0,70				
54	0,024	0,71				
58	0,023	0,48				
62	0,021	-0,035				
65	0,020	-0,24				
70	0,13	26	Outlier,ND			
74	0,070	12	Outlier			
76	1,3	313	Outlier			
79	0,018	-0,71				
80	0,017	-0,95				
93	0,032	2,6				
98	0,017	-0,86	ND			
100	0,035	3,3				
108	0,021	0,0000				

Consensus statistics	
Consensus median, pg/g	0,021
Median all values pg/g	0,023
Consensus mean, pg/g	0,022
Standard deviation, pg/g	0,0074
Relative standard deviation, %	33
No. of values reported	27
No. of values removed	6
No. of reported non-detects	5





Lamb
Congener: OCDD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,063	2,2				
4	0,043	-0,13	ND			
6	0,040	-0,48				
11	0,079	4,0	ND			
14	0,035	-1,0				
15	0,030	-1,6				
18	0,20	18	Outlier,ND			
22	0,020	-2,7				
25	0,083	4,5				
28	0,088	5,1				
30	2,0	223	Outlier,ND			
39	0,60	63	Outlier			
40	0,023	-2,4				
43	0,048	0,49				
54	0,045	0,13				
58	0,040	-0,44				
62	0,022	-2,5				
65	0,035	-1,0				
70	0,31	30	Outlier,ND			
74	0,067	2,6	ND			
76	2,5	275	Outlier			
79	0,019	-2,8				
80	0,067	2,6				
93	0,071	3,1	ND			
98	0,035	-1,0	ND			
100	0,075	3,6				
108	0,075	3,6				

Consensus statistics

Consensus median, pg/g	0,044
Median all values pg/g	0,063
Consensus mean, pg/g	0,050
Standard deviation, pg/g	0,022
Relative standard deviation, %	45
No. of values reported	27
No. of values removed	5
No. of reported non-detects	8





Lamb
Congener: 2,3,7,8 TCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0012	-3,8				
4	0,0043	-0,70	ND			
6	0,0053	0,32				
11	0,0079	2,9	ND			
14	0,069	64	Outlier			
15	0,0040	-1,0	ND			
18	0,020	15	Outlier,ND			
22	0,015	10				
25	0,0074	2,4				
28	0,0046	-0,35				
30	0,040	35	Outlier,ND			
39	0,025	20	Outlier			
40	0,0090	4,0	ND			
43	0,0048	-0,23				
54	0,0030	-2,0				
58	0,0030	-2,0				
62	0,010	5,4				
65	0,0050	0,0000	ND			
70	0,063	58	Outlier,ND			
74	0,080	75	Outlier			
76	0,28	276	Outlier			
79	0,0050	0,0000				
80	0,0019	-3,1	ND			
93	0,0080	3,0				
98	0,022	17	Outlier,ND			
100	0,0060	1,0	ND			
108	0,0099	4,9				

Consensus statistics

Consensus median, pg/g	0,0050
Median all values pg/g	0,0079
Consensus mean, pg/g	0,0061
Standard deviation, pg/g	0,0034
Relative standard deviation, %	55
No. of values reported	27
No. of values removed	8
No. of reported non-detects	11





Lamb
Congener: 1,2,3,7,8 PeCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0014	-3,0				
4	0,014	15	Outlier,ND			
6	0,0058	3,2				
11	0,0049	2,1	ND			
14	0,0044	1,3				
15	0,0060	3,6	ND			
18	0,020	24	Outlier,ND			
22	0,0021	-2,0				
25	0,00011	-4,8				
28	0,0043	1,1				
30	0,040	52	Outlier,ND			
39	0,0062	3,8				
40	0,0060	3,6	ND			
43	0,0015	-2,8				
54	0,0030	-0,71	ND			
58	0,0030	-0,71	ND			
62	0,0017	-2,5				
65	0,0040	0,71	ND			
70	0,063	85	Outlier,ND			
74	0,070	95	Outlier			
76	1,1	1590	Outlier			
79	0,0080	6,4				
80	0,0029	-0,86	ND			
93	0,0030	-0,71	ND			
98	0,021	25	Outlier,ND			
100	0,0060	3,6	ND			
108	0,0028	-1,0				

Consensus statistics



Consensus median, pg/g	0,0035
Median all values pg/g	0,0049
Consensus mean, pg/g	0,0039
Standard deviation, pg/g	0,0020
Relative standard deviation, %	53
No. of values reported	27
No. of values removed	7
No. of reported non-detects	14



Lamb
Congener: 2,3,4,7,8 PeCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,014	-0,63				
4	0,016	0,13				
6	0,0034	-3,9				
11	0,015	-0,20				
14	0,019	1,1				
15	0,016	0,0000				
18	0,020	1,3	ND			
22	0,018	0,47				
25	0,016	-0,028				
28	0,014	-0,72				
30	0,040	7,5	Outlier,ND			
39	0,021	1,7				
40	0,016	0,0000				
43	0,013	-1,1				
54	0,015	-0,31				
58	0,016	0,0000				
62	0,018	0,48				
65	0,0060	-3,1	ND			
70	0,063	15	Outlier,ND			
74	0,11	29	Outlier			
76	1,3	391	Outlier			
79	0,017	0,31				
80	0,0033	-4,0	ND			
93	0,012	-1,3				
98	0,018	0,74	ND			
100	0,016	0,0000				
108	0,020	1,3				



Consensus statistics	
Consensus median, pg/g	0,016
Median all values pg/g	0,016
Consensus mean, pg/g	0,015
Standard deviation, pg/g	0,0048
Relative standard deviation, %	32
No. of values reported	27
No. of values removed	4
No. of reported non-detects	6



Lamb
Congener: 1,2,3,4,7,8 HxCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0098	-1,0				
4	0,013	0,16				
6	0,028	6,6	Outlier			
11	0,011	-0,38				
14	0,014	0,77				
15	0,015	1,1				
18	0,10	36	Outlier,ND			
22	0,016	1,3				
25	0,0093	-1,2				
28	0,012	-0,081				
30	0,050	15	Outlier,ND			
39	0,0090	-1,3	ND			
40	0,0070	-2,2				
43	0,012	0,0000				
54	0,013	0,29				
58	0,013	0,29				
62	0,017	1,9				
65	0,015	0,94				
70	0,13	48	Outlier,ND			
74	0,13	48	Outlier			
76	1,3	504	Outlier			
79	0,010	-0,93				
80	0,012	-0,12				
93	0,012	-0,12	ND			
98	0,012	-0,058	ND			
100	0,015	1,1				
108	0,014	0,69				

Consensus statistics	
Consensus median, pg/g	0,012
Median all values pg/g	0,013
Consensus mean, pg/g	0,012
Standard deviation, pg/g	0,0024
Relative standard deviation, %	20
No. of values reported	27
No. of values removed	6
No. of reported non-detects	6





Lamb
Congener: 1,2,3,6,7,8 HxCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0054	-1,1				
4	0,0075	0,36				
6	0,0054	-1,1				
11	0,0065	-0,33				
14	0,0061	-0,61				
15	0,0070	0,0000				
18	0,10	66	Outlier,ND			
22	0,014	4,8				
25	0,0063	-0,51				
28	0,0057	-0,94				
30	0,050	31	Outlier,ND			
39	0,0090	1,4	ND			
40	0,0070	0,0000				
43	0,0080	0,74				
54	0,0060	-0,71				
58	0,0060	-0,71				
62	0,017	7,4	Outlier			
65	0,0074	0,29				
70	0,13	88	Outlier,ND			
74	0,060	38	Outlier			
76	1,2	871	Outlier			
79	0,0060	-0,71				
80	0,0042	-2,0				
93	0,011	2,9	ND			
98	0,012	3,6	ND			
100	0,010	2,1				
108	0,0071	0,07				

Consensus statistics

Consensus median, pg/g	0,0070
Median all values pg/g	0,0074
Consensus mean, pg/g	0,0075
Standard deviation, pg/g	0,0024
Relative standard deviation, %	32
No. of values reported	27
No. of values removed	6
No. of reported non-detects	6





Lamb
Congener: 2,3,4,6,7,8 HxCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0042	-1,6				
4	0,0079	1,4				
6	0,0027	-2,8				
11	0,0049	-1,0	ND			
14	0,0092	2,5				
15	0,0060	-0,11				
18	0,10	76	Outlier,ND			
22	0,0094	2,7				
25	0,0063	0,12				
28	0,0066	0,38				
30	0,050	36	Outlier,ND			
39	0,0090	2,3	ND			
40	0,0050	-0,93				
43	0,0063	0,11				
54	0,0050	-0,93				
58	0,0050	-0,93				
62	0,012	4,4				
65	0,0050	-0,93				
70	0,13	101	Outlier,ND			
74	0,017	8,6	Outlier,ND			
76	1,2	945	Outlier			
79	0,0060	-0,11				
80	0,0033	-2,3				
93	0,010	3,1				
98	0,011	4,2	ND			
100	0,010	3,1				
108	0,0049	-1,0				

Consensus statistics

Consensus median, pg/g	0,0061
Median all values pg/g	0,0066
Consensus mean, pg/g	0,0068
Standard deviation, pg/g	0,0026
Relative standard deviation, %	38
No. of values reported	27
No. of values removed	5
No. of reported non-detects	7





Lamb
Congener: 1,2,3,7,8,9 HxCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,00061	-3,9				
4	0,0066	6,8	ND			
6	0,0016	-2,1				
11	0,0049	3,8	ND			
14	0,011	14	Outlier			
15	0,0050	3,9	ND			
18	0,10	174	Outlier,ND			
22	0,0013	-2,6	ND			
25	0,00030	-4,5				
28	0,0040	2,1				
30	0,050	84	Outlier,ND			
39	0,0090	11	Outlier,ND			
40	0,0040	2,1	ND			
43	0,0010	-3,2				
54	0,0030	0,36	ND			
58	0,0030	0,36	ND			
62	0,0013	-2,6	ND			
65	0,0020	-1,4	ND			
70	0,13	227	Outlier,ND			
74	0,017	25	Outlier,ND			
76	1,1	2014	Outlier			
79	0,0020	-1,4				
80	0,0026	-0,36	ND			
93	0,011	15	Outlier			
98	0,015	22	Outlier,ND			
100	0,0040	2,1				
108	0,0042	2,5	ND			

Consensus statistics



Consensus median, pg/g	0,0028
Median all values pg/g	0,0040
Consensus mean, pg/g	0,0029
Standard deviation, pg/g	0,0017
Relative standard deviation, %	61
No. of values reported	27
No. of values removed	9
No. of reported non-detects	17



Lamb
Congener: 1,2,3,4,6,7,8 HpCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,0072	-2,3				
4	0,021	2,8				
6	0,0049	-3,2				
11	0,0099	-1,2	ND			
14	0,018	1,7				
15	0,014	0,32				
18	0,10	33	Outlier,ND			
22	0,017	1,3				
25	0,021	2,9				
28	0,018	1,8				
30	0,15	52	Outlier,ND			
39	0,023	3,6				
40	0,0050	-3,1				
43	0,0098	-1,3				
54	0,012	-0,44				
58	0,011	-0,82				
62	0,013	0,062				
65	0,016	1,2				
70	0,13	44	Outlier,ND			
74	0,090	29	Outlier			
76	1,2	468	Outlier			
79	0,0090	-1,6				
80	0,013	-0,062				
93	0,019	2,2				
98	0,0095	-1,4	ND			
100	0,028	5,6				
108	0,0042	-3,4	ND			

Consensus statistics	
Consensus median, pg/g	0,013
Median all values pg/g	0,016
Consensus mean, pg/g	0,014
Standard deviation, pg/g	0,0063
Relative standard deviation, %	46
No. of values reported	27
No. of values removed	5
No. of reported non-detects	6





Lamb
Congener: 1,2,3,4,7,8,9 HpCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,00086	-3,9				
4	0,0067	3,3	ND			
6	0,012	9,3	Outlier			
11	0,0099	7,2	ND			
14	0,0020	-2,6				
15	0,0030	-1,3	ND			
18	0,10	118	Outlier,ND			
22	0,0015	-3,1	ND			
25	0,000022	-5,0				
28	0,0056	1,9				
30	0,15	180	Outlier,ND			
39	0,010	7,3	ND			
40	0,0050	1,2	ND			
43	0,0050	1,2				
54	0,0030	-1,3	ND			
58	0,0030	-1,3	ND			
62	0,0018	-2,7	ND			
65	0,0050	1,2	ND			
70	0,13	155	Outlier,ND			
74	0,017	16	Outlier,ND			
76	1,3	1562	Outlier			
79	0,0020	-2,5				
80	0,0041	0,062	ND			
93	0,0040	-0,062	ND			
98	0,013	11	Outlier,ND			
100	0,010	7,3	ND			
108	0,0042	0,19	ND			

Consensus statistics

Consensus median, pg/g	0,0041
Median all values pg/g	0,0050
Consensus mean, pg/g	0,0043
Standard deviation, pg/g	0,0029
Relative standard deviation, %	68
No. of values reported	27
No. of values removed	7
No. of reported non-detects	19





Lamb
Congener: OCDF

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,00073	-4,7				
4	0,028	4,6	ND			
6	0,0088	-1,9				
11	0,020	1,9	ND			
14	0,037	8,0				
15	0,021	2,3				
18	0,20	65	Outlier,ND			
22	0,013	-0,30	ND			
25	0,028	4,8				
28	0,014	0,0000				
30	2,0	693	Outlier,ND			
39	0,027	4,4	ND			
40	0,0090	-1,9	ND			
43	0,0093	-1,8				
54	0,010	-1,5	ND			
58	0,010	-1,5	ND			
62	0,017	0,95	ND			
65	0,010	-1,5	ND			
70	0,31	103	Outlier,ND			
74	0,067	18	Outlier,ND			
76	2,9	1021	Outlier			
79	0,0022	-4,2				
80	0,020	2,0	ND			
93	0,011	-1,2	ND			
98	0,030	5,5	ND			
100	0,023	3,0				
108	0,052	13	Outlier			

Consensus statistics



Consensus median, pg/g	0,014
Median all values pg/g	0,020
Consensus mean, pg/g	0,017
Standard deviation, pg/g	0,0097
Relative standard deviation, %	58
No. of values reported	27
No. of values removed	6
No. of reported non-detects	16



Lamb
Congener: PCB 77

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,76	0,0000				
4	0,66	-0,65				
6	0,46	-2,0				
11	0,67	-0,58				
14	0,71	-0,36				
15	0,88	0,76				
18	1,0	1,6				
22	0,92	1,0				
25	0,73	-0,20				
28	0,53	-1,5				
30	1,0	1,6	ND			
39	2,1	8,5	Outlier			
40	0,77	0,039				
43	0,62	-0,92				
54	0,75	-0,066				
58	0,76	0,020				
62	0,79	0,23				
65	0,79	0,17				
70	2,0	8	Outlier,ND			
74	2,9	14	Outlier			
76	12	76	Outlier			
79	0,87	0,71				
80	0,74	-0,13				
93	0,76	0,0000				
98	0,62	-0,90				
100	0,80	0,26				
108	1,0	1,6				



Consensus statistics	
Consensus median, pg/g	0,76
Median all values pg/g	0,77
Consensus mean, pg/g	0,76
Standard deviation, pg/g	0,14
Relative standard deviation, %	18
No. of values reported	27
No. of values removed	4
No. of reported non-detects	2



Lamb
Congener: PCB 126

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,14	-0,43				
4	0,14	-0,50				
6	0,15	0,0091				
11	0,16	0,23				
14	0,21	1,8				
15	0,19	1,1				
18	0,19	1,2				
22	0,13	-0,68				
25	0,15	-0,15				
28	0,099	-1,8				
30	1,0	28	Outlier,ND			
39	0,60	15	Outlier,ND			
40	0,17	0,68				
43	0,14	-0,43				
54	0,15	-0,11				
58	0,16	0,089				
62	0,13	-0,73				
65	0,17	0,44				
70	2,0	60	Outlier,ND			
74	0,55	13	Outlier			
76	16	525	Outlier			
79	0,15	-0,0091				
80	0,22	2,2				
93	0,081	-2,4	ND			
98	0,10	-1,6				
100	0,17	0,55				
108	0,17	0,55				

Consensus statistics	
Consensus median, pg/g	0,15
Median all values pg/g	0,16
Consensus mean, pg/g	0,15
Standard deviation, pg/g	0,033
Relative standard deviation, %	22
No. of values reported	27
No. of values removed	5
No. of reported non-detects	4





Lamb
Congener: PCB 169

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,085	0,31				
4	0,068	-0,78				
6	0,085	0,34				
11	0,078	-0,13				
14	0,091	0,68				
15	0,27	12	Outlier			
18	0,10	1,3	ND			
22	0,11	1,7				
25	0,085	0,32				
28	0,056	-1,5				
30	1,0	58	Outlier,ND			
39	0,60	33	Outlier,ND			
40	0,081	0,063				
43	0,071	-0,56				
54	0,070	-0,63				
58	0,079	-0,063				
62	0,13	3,0				
65	0,071	-0,57				
70	2,0	120	Outlier,ND			
74	0,67	37	Outlier,ND			
76	19	1169	Outlier			
79	0,080	0,0000				
80	0,032	-3,0				
93	0,10	1,4	ND			
98	0,084	0,27				
100	0,072	-0,50				
108	0,079	-0,063				

Consensus statistics

Consensus median, pg/g	0,080
Median all values pg/g	0,085
Consensus mean, pg/g	0,081
Standard deviation, pg/g	0,019
Relative standard deviation, %	24
No. of values reported	27
No. of values removed	6
No. of reported non-detects	6





Lamb
Congener: PCB 81

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,022	-1,3				
4	0,025	-0,83				
6	0,019	-1,8				
11	0,040	1,6	ND			
14	0,034	0,68				
15	0,19	27	Outlier			
18	0,10	12	Outlier,ND			
22	0,027	-0,43				
25	0,017	-2,2				
28	0,025	-0,87				
30	1,0	162	Outlier,ND			
39	0,60	95	Outlier,ND			
40	0,034	0,67				
43	0,027	-0,52				
54	0,030	0,0000				
58	0,040	1,7				
62	0,029	-0,22				
65	0,030	0,017				
70	2,0	328	Outlier,ND			
74	0,67	106	Outlier,ND			
76	10	1680	Outlier			
79	0,041	1,8				
80	0,035	0,83				
93	0,080	8,3	Outlier,ND			
98	0,023	-1,2	ND			
100	0,032	0,33				
108	0,046	2,7				

Consensus statistics



Consensus median, pg/g	0,030
Median all values pg/g	0,034
Consensus mean, pg/g	0,030
Standard deviation, pg/g	0,0079
Relative standard deviation, %	26
No. of values reported	27
No. of values removed	8
No. of reported non-detects	8



Lamb
Congener: PCB 105

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	16	0,016				
4	13	-0,74				
6	9,0	-2,1				
11	15	-0,31				
14	17	0,53				
15	21	1,7				
18	16	-0,016				
22	16	0,11				
25	16	-0,035				
28	12	-1,2				
30	14	-0,56				
39	21	1,6				
40	17	0,28				
43	13	-0,81				
54	14	-0,42				
58	14	-0,42				
62	16	0,10				
65	14	-0,41				
70	16	0,089				
74	68	17	Outlier			
76	30	4,4				
79	16	0,042				
80	18	0,64				
93	16	0,18				
98	14	-0,64				
100	16	0,089				
108	14	-0,71				



Consensus statistics	
Consensus median, pg/g	16
Median all values pg/g	16
Consensus mean, pg/g	16
Standard deviation, pg/g	3,7
Relative standard deviation, %	23
No. of values reported	27
No. of values removed	1
No. of reported non-detects	0



Lamb
Congener: PCB 114

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,1	-0,66				
4	1,0	-0,80				
6	0,88	-1,5				
11	1,2	-0,35				
14	1,3	0,39				
15	0,45	-3,2				
18	1,4	0,55				
22	1,4	0,65				
25	1,2	-0,023				
28	2,6	5,5	Outlier,ND			
30	10	35	Outlier,ND			
39	2,2	4,0				
40	1,3	0,19				
43	1,2	0,0000				
54	1,2	-0,17				
58	1,4	0,63				
62	1,4	0,58				
65	1,0	-0,88				
70	2,0	3,0	ND			
74	3,3	8,4	Outlier,ND			
76	13	45	Outlier			
79	1,3	0,28				
80	1,2	-0,25				
93	1,3	0,27				
98	1,1	-0,43				
100	1,3	0,23				
108	1,1	-0,57				



Consensus statistics	
Consensus median, pg/g	1,2
Median all values pg/g	1,3
Consensus mean, pg/g	1,3
Standard deviation, pg/g	0,34
Relative standard deviation, %	27
No. of values reported	27
No. of values removed	4
No. of reported non-detects	4



Lamb
Congener: PCB 118

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	44	0,33				
4	37	-0,48				
6	32	-1,1				
11	41	0,047				
14	50	1,1				
15	41	0,025				
18	39	-0,20				
22	44	0,35				
25	43	0,29				
28	32	-1,1				
30	32	-1,1				
39	61	2,4				
40	41	-0,025				
43	39	-0,27				
54	40	-0,17				
58	40	-0,18				
62	43	0,28				
65	40	-0,17				
70	43	0,24				
74	197	19	Outlier			
76	52	1,3				
79	45	0,54				
80	38	-0,42				
93	42	0,12				
98	37	-0,45				
100	44	0,37				
108	40	-0,18				



Consensus statistics	
Consensus median, pg/g	41
Median all values pg/g	41
Consensus mean, pg/g	41
Standard deviation, pg/g	6,2
Relative standard deviation, %	15
No. of values reported	27
No. of values removed	1
No. of reported non-detects	0



Lamb
Congener: PCB 123

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,57	2,5				
4	0,39	0,13				
6	0,55	2,3				
11	0,79	5,4	ND			
14	0,24	-1,8				
15	0,16	-2,9				
18	0,29	-1,2				
22	0,31	-0,95				
25	0,41	0,42				
28	2,6	30	Outlier,ND			
30	5,0	61	Outlier,ND			
39	0,60	2,9	ND			
40	0,30	-1,1				
43	0,40	0,25				
54	0,50	1,6				
58	0,50	1,6				
62	0,33	-0,68				
65	0,31	-0,92				
70	2,0	21	Outlier,ND			
74	3,3	39	Outlier,ND			
76	13	163	Outlier			
79	0,39	0,15				
80	0,31	-0,92				
93	0,30	-1,0				
98	0,50	1,6				
100	0,32	-0,78				
108	0,37	-0,13				



Consensus statistics	
Consensus median, pg/g	0,38
Median all values pg/g	0,40
Consensus mean, pg/g	0,40
Standard deviation, pg/g	0,14
Relative standard deviation, %	36
No. of values reported	27
No. of values removed	5
No. of reported non-detects	6



Lamb
Congener: PCB 156

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	11	-0,28				
4	11	-0,43				
6	9,1	-1,0				
11	11	-0,051				
14	16	1,9				
15	10	-0,44				
18	11	-0,13				
22	12	0,19				
25	11	-0,043				
28	8,6	-1,3				
30	12	0,28				
39	15	1,3				
40	12	0,22				
43	12	0,14				
54	12	0,0000				
58	12	0,0000				
62	12	0,049				
65	11	-0,42				
70	12	0,22				
74	52	18	Outlier			
76	27	6,7	Outlier			
79	12	0,43				
80	11	-0,048				
93	13	0,61				
98	10	-0,44				
100	12	0,22				
108	11	-0,35				



Consensus statistics	
Consensus median, pg/g	12
Median all values pg/g	12
Consensus mean, pg/g	12
Standard deviation, pg/g	1,5
Relative standard deviation, %	13
No. of values reported	27
No. of values removed	2
No. of reported non-detects	0



Lamb
Congener: PCB 157

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,8	-0,21				
4	1,6	-0,61				
6	1,5	-0,94				
11	1,8	-0,14				
14	2,5	1,6				
15	1,1	-2,0				
18	1,9	0,0000				
22	1,9	0,082				
25	1,9	0,12				
28	2,1	0,54				
30	5,0	8,4	Outlier,ND			
39	2,6	2,0				
40	1,9	-0,027				
43	1,8	-0,14				
54	1,9	0,080				
58	1,9	0,080				
62	1,9	-0,028				
65	1,7	-0,49				
70	2,4	1,4				
74	3,3	3,9	ND			
76	18	44	Outlier			
79	2,1	0,51				
80	1,7	-0,40				
93	2,2	0,99				
98	1,7	-0,42				
100	1,9	0,080				
108	1,7	-0,45				



Consensus statistics	
Consensus median, pg/g	1,9
Median all values pg/g	1,9
Consensus mean, pg/g	2,0
Standard deviation, pg/g	0,42
Relative standard deviation, %	21
No. of values reported	27
No. of values removed	2
No. of reported non-detects	2



Lamb
Congener: PCB 167

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	2,6	0,0000				
4	2,8	0,34				
6	1,3	-2,5				
11	3,0	0,65				
14	4,6	3,8				
15	3,1	0,84				
18	3,1	0,96				
22	2,5	-0,29				
25	2,3	-0,57				
28	2,8	0,28				
30	5,0	4,6	ND			
39	4,9	4,3				
40	2,9	0,46				
43	2,4	-0,38				
54	2,6	-0,019				
58	2,6	-0,019				
62	2,4	-0,32				
65	2,3	-0,66				
70	2,6	-0,019				
74	10	15	Outlier			
76	18	29	Outlier			
79	2,8	0,28				
80	3,0	0,67				
93	3,3	1,2				
98	2,3	-0,58				
100	2,4	-0,40				
108	2,5	-0,21				



Consensus statistics	
Consensus median, pg/g	2,6
Median all values pg/g	2,8
Consensus mean, pg/g	2,9
Standard deviation, pg/g	0,83
Relative standard deviation, %	29
No. of values reported	27
No. of values removed	2
No. of reported non-detects	1



Lamb
Congener: PCB 189

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,1	-0,25				
4	1,1	-0,46				
6	1,4	0,80				
11	1,1	-0,30				
14	1,9	2,8				
15	1,3	0,23				
18	1,1	-0,25				
22	1,2	-0,030				
25	1,2	-0,025				
28	1,4	0,81	ND			
30	5,0	16	Outlier,ND			
39	1,8	2,6				
40	1,1	-0,42				
43	1,2	-0,11				
54	1,2	0,0000				
58	1,3	0,42				
62	1,2	-0,10				
65	1,2	0,084				
70	2,0	3,3	ND			
74	3,3	8,9	Outlier,ND			
76	20	77	Outlier			
79	1,3	0,47				
80	1,3	0,46				
93	1,1	-0,37				
98	1,1	-0,44				
100	1,2	0,0000				
108	1,4	0,83				



Consensus statistics	
Consensus median, pg/g	1,2
Median all values pg/g	1,2
Consensus mean, pg/g	1,3
Standard deviation, pg/g	0,25
Relative standard deviation, %	19
No. of values reported	27
No. of values removed	3
No. of reported non-detects	4



Lamb
Congener: PCB 28

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	41	6,1	Outlier			
4	14	-1,2				
6	14	-1,3				
11	16	-0,67				
14	17	-0,41				
15	0,024	-5,0				
18	100	22	Outlier,ND			
22	26	1,9				
25	25	1,8				
28	17	-0,47				
30	100	22	Outlier,ND			
39	37	5,0				
40	19	0,13				
43	19	0,10				
54	14	-1,4				
58	24	1,4				
62	25	1,6				
65	21	0,72				
70	25	1,7	ND			
79	19	-0,020				
80	15	-1,00				
93	19	0,020				
98	16	-0,65				
100	23	1,2				



Consensus statistics	
Consensus median, pg/g	19
Median all values pg/g	19
Consensus mean, pg/g	19
Standard deviation, pg/g	7,1
Relative standard deviation, %	37
No. of values reported	24
No. of values removed	3
No. of reported non-detects	3



Lamb
Congener: PCB 52

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	36	0,28				
4	34	-0,029				
6	33	-0,21				
11	34	-0,033				
14	37	0,40				
15	0,044	-5,0				
18	100	9,7	Outlier,ND			
22	41	1,0				
25	28	-0,96				
28	31	-0,51				
30	100	9,7	Outlier,ND			
39	53	2,8				
40	35	0,081				
43	29	-0,70				
54	32	-0,32				
58	42	1,2				
62	38	0,64				
65	39	0,69				
70	34	-0,014				
79	37	0,43				
80	34	0,014				
93	31	-0,40				
98	29	-0,69				
100	36	0,28				



Consensus statistics	
Consensus median, pg/g	34
Median all values pg/g	34
Consensus mean, pg/g	34
Standard deviation, pg/g	9,3
Relative standard deviation, %	27
No. of values reported	24
No. of values removed	2
No. of reported non-detects	2



Lamb
Congener: PCB 101

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	52	0,82				
4	43	-0,20				
6	36	-0,98				
11	53	1,0				
14	51	0,69				
15	0,050	-5,0				
18	100	6,3	Outlier,ND			
22	50	0,62				
25	37	-0,82				
28	35	-1,1				
30	100	6,3	Outlier,ND			
39	79	3,9				
40	52	0,84				
43	48	0,41				
54	44	-0,075				
58	44	-0,030				
62	45	0,030				
65	46	0,22				
70	40	-0,49				
79	46	0,19				
80	48	0,36				
93	42	-0,24				
98	41	-0,34				
100	44	-0,041				



Consensus statistics	
Consensus median, pg/g	44
Median all values pg/g	45
Consensus mean, pg/g	44
Standard deviation, pg/g	13
Relative standard deviation, %	30
No. of values reported	24
No. of values removed	2
No. of reported non-detects	2



Lamb
Congener: PCB 138

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	52	-1,0				
4	67	0,20				
6	97	2,5				
11	63	-0,15				
14	88	1,8				
15	0,055	-5,0				
18	100	2,7	ND			
22	68	0,24				
25	44	-1,6				
28	51	-1,1				
30	100	2,7	ND			
39	97	2,5				
40	65	0,015				
43	57	-0,59				
54	67	0,17				
58	66	0,13				
62	65	-0,015				
65	62	-0,18				
70	74	0,71				
79	66	0,090				
80	63	-0,15				
93	64	-0,027				
98	62	-0,20				
100	70	0,41				



Consensus statistics	
Consensus median, pg/g	65
Median all values pg/g	65
Consensus mean, pg/g	67
Standard deviation, pg/g	21
Relative standard deviation, %	31
No. of values reported	24
No. of values removed	0
No. of reported non-detects	2



Lamb
Congener: PCB 153

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	175	0,90				
4	150	0,056				
6	147	-0,030				
11	157	0,31				
14	209	2,0				
15	0,094	-5,0				
18	160	0,40				
22	148	0,0081				
25	130	-0,62				
28	114	-1,2				
30	123	-0,84				
39	191	1,4				
40	161	0,42				
43	134	-0,49				
54	151	0,093				
58	148	-0,0081				
62	145	-0,12				
65	149	0,012				
70	150	0,059				
79	163	0,49				
80	129	-0,66				
93	141	-0,24				
98	146	-0,060				
100	147	-0,042				



Consensus statistics	
Consensus median, pg/g	148
Median all values pg/g	148
Consensus mean, pg/g	144
Standard deviation, pg/g	37
Relative standard deviation, %	26
No. of values reported	24
No. of values removed	0
No. of reported non-detects	0



Lamb
Congener: PCB 180

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	69	0,70				
4	62	0,12				
6	45	-1,3				
11	58	-0,20				
14	100	3,2				
15	0,060	-5,0				
18	100	3,2	ND			
22	62	0,12				
25	56	-0,40				
28	45	-1,3				
30	100	3,2	ND			
39	79	1,5				
40	69	0,65				
43	61	0,00075				
54	60	-0,056				
58	60	-0,089				
62	61	-0,00075				
65	64	0,26				
70	69	0,68				
79	67	0,54				
80	54	-0,53				
93	56	-0,36				
98	60	-0,084				
100	64	0,26				



Consensus statistics	
Consensus median, pg/g	61
Median all values pg/g	61
Consensus mean, pg/g	63
Standard deviation, pg/g	20
Relative standard deviation, %	32
No. of values reported	24
No. of values removed	0
No. of reported non-detects	2



Lamb
Congener: PBDE 28

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	0,27	5,9				
4	0,52	16	Outlier			
11	0,99	34	Outlier,ND			
14	0,14	0,41				
22	0,12	-0,41				
28	0,054	-2,9	ND			
39	1,2	44	Outlier			
43	0,076	-2,0				
62	0,10	-0,90				
76	7,8	304	Outlier			
79	0,24	4,7				
80	0,053	-2,9				
93	0,36	9,3	ND			
100	0,19	2,6				



Consensus statistics	
Consensus median, pg/g	0,13
Median all values pg/g	0,22
Consensus mean, pg/g	0,16
Standard deviation, pg/g	0,10
Relative standard deviation, %	64
No. of values reported	14
No. of values removed	4
No. of reported non-detects	3



Lamb
Congener: PBDE 47

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	4,1	4,2	ND			
4	3,2	2,1				
11	4,0	3,9				
14	2,2	0,0000				
22	1,2	-2,4	Outlier			
28	4,3	4,6				
39	34	70				
43	1,6	-1,4				
62	1,4	-1,8	Outlier			
76	6,0	8,5				
79	2,1	-0,36				
80	0,11	-4,8				
93	2,9	1,4				
100	2,7	1,1				



Consensus statistics	
Consensus median, pg/g	2,2
Median all values pg/g	2,8
Consensus mean, pg/g	2,5
Standard deviation, pg/g	1,3
Relative standard deviation, %	52
No. of values reported	14
No. of values removed	2
No. of reported non-detects	1



Lamb
Congener: PBDE 99

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	5,3	5,0	Outlier			
4	3,7	2,0				
11	2,5	-0,25				
14	3,3	1,1				
22	2,0	-1,2				
28	2,8	0,31				
39	20	33				
43	2,1	-1,1				
62	2,3	-0,74				
76	5,3	5,0				
79	2,6	-0,074				
80	1,2	-2,7				
93	2,7	0,0000				
100	3,7	2,0				



Consensus statistics	
Consensus median, pg/g	2,7
Median all values pg/g	2,7
Consensus mean, pg/g	3,0
Standard deviation, pg/g	1,2
Relative standard deviation, %	40
No. of values reported	14
No. of values removed	1
No. of reported non-detects	0



Lamb
Congener: PBDE 100

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,7	3,7	ND			
4	1,6	3,2				
11	2,0	5,3				
14	1,3	1,8				
22	0,85	-0,53	Outlier			
28	1,6	3,2				
39	6,8	31				
43	0,96	0,0000				
62	0,89	-0,35	Outlier			
76	3,5	13				
79	0,91	-0,24				
80	0,51	-2,3				
93	0,76	-1,0				
100	1,2	1,3				



Consensus statistics	
Consensus median, pg/g	1,0
Median all values pg/g	1,3
Consensus mean, pg/g	1,2
Standard deviation, pg/g	0,44
Relative standard deviation, %	37
No. of values reported	14
No. of values removed	2
No. of reported non-detects	1



Lamb
Congener: PBDE 153

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	3,2	3,4	Outlier			
4	2,3	0,86				
11	1,8	-0,26				
14	2,8	2,2				
22	1,9	-0,041				
28	3,8	4,9				
39	2,3	0,97				
43	1,6	-0,89				
62	1,9	0,0000				
76	6,9	13				
79	1,7	-0,70				
80	1,9	-0,12				
93	1,4	-1,3				
100	2,1	0,43				

Consensus statistics	
Consensus median, pg/g	1,9
Median all values pg/g	2,0
Consensus mean, pg/g	2,2
Standard deviation, pg/g	0,69
Relative standard deviation, %	31
No. of values reported	14
No. of values removed	1
No. of reported non-detects	0





Lamb
Congener: PBDE 154

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,2	2,4				
4	1,2	2,1				
11	0,99	1,0	ND			
14	1,0	1,2				
22	0,73	-0,53				
28	0,15	-4,1	ND			
39	1,4	3,7				
43	0,46	-2,2				
62	0,75	-0,44				
76	4,5	22	Outlier			
79	0,63	-1,2				
80	0,62	-1,2				
93	0,82	0,0000				
100	0,86	0,24				

Consensus statistics



Consensus median, pg/g	0,82
Median all values pg/g	0,84
Consensus mean, pg/g	0,83
Standard deviation, pg/g	0,34
Relative standard deviation, %	41
No. of values reported	14
No. of values removed	1
No. of reported non-detects	2



Lamb
Congener: PBDE 183

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	1,7	3,2				
4	1,6	2,6				
11	1,0	0,0000				
14	1,6	2,9				
22	1,0	-0,030				
28	4,0	14	Outlier			
39	3,4	11	Outlier			
43	0,59	-2,2				
62	1,0	-0,14				
76	3,8	13	Outlier			
79	1,0	-0,083				
80	0,39	-3,1				
93	1,2	0,76				
100	1,1	0,28				



Consensus statistics	
Consensus median, pg/g	1,0
Median all values pg/g	1,2
Consensus mean, pg/g	1,1
Standard deviation, pg/g	0,41
Relative standard deviation, %	37
No. of values reported	14
No. of values removed	3
No. of reported non-detects	0



Lamb
Congener: PBDE 209

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
3	14	0,0000				
4	25	4,0				
11	79	24	Outlier,ND			
14	71	21	Outlier			
22	3,6	-3,7				
39	293	102	Outlier			
43	14	0,23				
62	3,3	-3,8				
76	79	24	Outlier			
79	57	16	Outlier			
80	3,6	-3,7				
93	53	14	Outlier			
100	17	1,2				

Consensus statistics	
Consensus median, pg/g	14
Median all values pg/g	25
Consensus mean, pg/g	11
Standard deviation, pg/g	8,3
Relative standard deviation, %	72
No. of values reported	13
No. of values removed	6
No. of reported non-detects	1





Congener: α -HBCD

Lab code	Conc. pg/g fw.	Z-score	Notes
4 93	2,2 36	-4,4 4,4	

Consensus statistics

Consensus median, pg/g	19
Median all values pg/g	19
Consensus mean, pg/g	19
Standard deviation, pg/g	24
Relative standard deviation, %	123
No. of values reported	2
No. of values removed	0
No. of reported non-detects	0




Lamb
Congener: β -HBCD

[illegible]

Consensus statistics

Consensus median, pg/g	**
Median all values pg/g	10
Consensus mean, pg/g	10
Standard deviation, pg/g	13
Relative standard deviation, %	12
No. of values reported	2
No. of values removed	0
No. of reported non-detects	2





Lamb
Congener: γ -HBCD

[illegible]

Consensus statistics

Consensus median, pg/g	**
Median all values pg/g	9,0
Consensus mean, pg/g	9,0
Standard deviation, pg/g	11
Relative standard deviation, %	126
No. of values reported	2
No. of values removed	0
No. of reported non-detects	2



Lamb

Congener: total HBCD

Lab code	Conc. pg/g fw.	Z-score	Notes	Lab code	Conc. pg/g fw.	Notes
4	2,2	-4,4				
93	36	4,4				

Consensus statistics

Consensus median, pg/g	19
Median all values pg/g	19
Consensus mean, pg/g	19
Standard deviation, pg/g	24
Relative standard deviation, %	125
No. of values reported	2
No. of values removed	0
No. of reported non-detects	0

