

MFRkoder_051

```

<?xml version="1.0"?>
<!-- edited with XMLSPY v5 rel. 3 U (http://www.xmlspy.com) by Olav (mfr) -->
<!-- edited with XML Spy v4.2 U (http://www.xmlspy.com) by Geir Skaug
(ErgoSolutions AS) -->
<!-- filen hadde tidligere navnet MFR_V03.xsd -->
<!-- Versjon: 0.4: Dato: 07.11.2003 Endret av: Olav Hugaas, MFR. Endringer: lagt
til flere koder under inngrep. -->
<!-- Versjon :0.41, Dato: 26.11.2004. Endret av Olav Hugaas, MFR. Endringer: lagt
til kode "99", "Annet" under _PlacentaKode -->
<schema xmlns:kith="http://www.kith.no/xmlstds"
xmlns:mfrbase="http://sqlserver/MFR/mfrbase"
xmlns="http://www.w3.org/2001/XMLSchema"
targetNamespace="http://sqlserver/MFR/mfrbase">
  <import namespace="http://www.kith.no/xmlstds"
schemaLocation="c:/xml/xsd/kith.xsd"/>
  <simpleType name="_SivilStatus">
    <annotation>
      <appinfo>
        <class name="Mor"/>
        <attribute name="_SivilStatus"/>
        <code value="1" text="Gift"/>
        <code value="2" text="Samboer"/>
        <code value="3" text="Ugift/enslig"/>
        <code value="4" text="Skilt/separert/enke"/>
        <code value="99" text="Annen sivilstatus"/>
      </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
      <enumeration value="1"/>
      <enumeration value="2"/>
      <enumeration value="3"/>
      <enumeration value="4"/>
      <enumeration value="99"/>
    </restriction>
  </simpleType>
  <simpleType name="_KostTilskudd">
    <annotation>
      <appinfo>
        <class name="KostTilskudd"/>
        <attribute name="_KostTilskudd"/>
        <code value="2" text="Nei"/>
        <code value="3" text="Multivitaminer, for sv.sk."/>
        <code value="4" text="Multivitaminer, i sv.sk."/>
        <code value="5" text="Folat/Folsyre, for sv.sk."/>
        <code value="6" text="Folat/Folsyre, i sv.sk."/>
      </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
      <enumeration value="2"/>
      <enumeration value="3"/>
      <enumeration value="4"/>
      <enumeration value="5"/>
      <enumeration value="6"/>
    </restriction>
  </simpleType>
  <simpleType name="_ForholdFoersvangerskapet">
    <annotation>
      <appinfo>
        <class name="ForholdFoersvangerskapet"/>
        <attribute name="_ForholdFoersvangerskapet"/>
        <code value="1" text="Intet spesielt"/>
        <code value="2" text="Astma"/>
        <code value="3" text="Allergi"/>
        <code value="4" text="Tidligere sectio"/>
        <code value="5" text="Res. urinveisinfeksjon"/>
        <code value="6" text="Kronisk nyresykdom"/>
        <code value="7" text="Kronisk hypertensjon"/>
        <code value="8" text="Reumatoid artritt"/>
        <code value="9" text="Hjertesykdom"/>
        <code value="10" text="Epilepsi"/>
        <code value="11" text="Diabetes type 1"/>
        <code value="12" text="Diabetes type 2"/>
        <code value="99" text="Annet"/>
      </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
      <enumeration value="1"/>
      <enumeration value="2"/>

```

```

MFRkoder_051
<enumeration value="3"/>
<enumeration value="4"/>
<enumeration value="5"/>
<enumeration value="6"/>
<enumeration value="7"/>
<enumeration value="8"/>
<enumeration value="9"/>
<enumeration value="10"/>
<enumeration value="11"/>
<enumeration value="12"/>
<enumeration value="99"/>
</restriction>
</simpleType>
<simpleType name="_ForholdUnderSvangerskapet">
  <annotation>
    <appinfo>
      <class name="ForholdUnderSvangerskapet"/>
      <attribute name="_ForholdUnderSvangerskapet"/>
      <code value="1" text="Intet spesielt"/>
      <code value="2" text="Blodning mindre enn 13 uke"/>
      <code value="3" text="Blodning 13 - 28 uke"/>
      <code value="4" text="Blodning mer enn 28 uke"/>
      <code value="5" text="Glukosuri"/>
      <code value="6" text="Svangerskapsdiabetes"/>
      <code value="7" text="Hypertensjon alene"/>
      <code value="8" text="Preeklampsi lett"/>
      <code value="9" text="Preeklampsi alvorlig"/>
      <code value="10" text="Preeklampsi for 34. uke"/>
      <code value="11" text="HELLP syndrom"/>
      <code value="12" text="Eklampsi"/>
      <code value="13" text="Hb mindre enn 9.0 g/dl"/>
      <code value="14" text="Hb mer enn 13.5 g/dl"/>
      <code value="15" text="Trombose, beh."/>
      <code value="16" text="Infeksjon"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
    <enumeration value="8"/>
    <enumeration value="9"/>
    <enumeration value="10"/>
    <enumeration value="11"/>
    <enumeration value="12"/>
    <enumeration value="13"/>
    <enumeration value="14"/>
    <enumeration value="15"/>
    <enumeration value="16"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_RoykSvangerskapBegynnelset">
  <annotation>
    <appinfo>
      <class name="Royking"/>
      <attribute name="_RoykSvangerskapBegynnelset"/>
      <code value="2" text="Nei"/>
      <code value="3" text="Av og til"/>
      <code value="4" text="Daglig"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
  </restriction>
</simpleType>
<simpleType name="_RoykSvangerskapSlutt">
  <annotation>
    <appinfo>
      <class name="Royking"/>
      <attribute name="_RoykSvangerskapSlutt"/>

```

```

        MFRkoder_051
        <code value="2" text="Nei"/>
        <code value="3" text="Av og til"/>
        <code value="4" text="Daglig"/>
    </appinfo>
</annotation>
<restriction base="nonNegativeInteger">
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
</restriction>
</simpleType>
<simpleType name="_Yrkesaktiv">
    <annotation>
        <appinfo>
            <class name="Yrke"/>
            <attribute name="_Yrkesaktiv"/>
            <code value="1" text="Ikke yrkesaktiv"/>
            <code value="2" text="Yrkesaktiv heltid"/>
            <code value="3" text="Yrkesaktiv deltid"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
    </restriction>
</simpleType>
<simpleType name="_FodselUtenforInstitusjon">
    <annotation>
        <appinfo>
            <class name="Fodsel"/>
            <attribute name="_FodselUtenforInstitusjon"/>
            <code value="1" text="Hjemme, planlagt"/>
            <code value="2" text="Hjemme, ikke planlagt"/>
            <code value="3" text="Under transport"/>
            <code value="99" text="Annet sted"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
        <enumeration value="99"/>
    </restriction>
</simpleType>
<simpleType name="_FosterLeie">
    <annotation>
        <appinfo>
            <class name="FosterLeie"/>
            <attribute name="_FosterLeie"/>
            <code value="" text="Normal bakhode"/>
            <code value="" text="Sete"/>
            <code value="" text="Tverrleie"/>
            <code value="" text="Avvikende hodefodsel"/>
            <code value="" text="Annet"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
        <enumeration value="4"/>
        <enumeration value="99"/>
    </restriction>
</simpleType>
<simpleType name="_FodselsStart">
    <annotation>
        <appinfo>
            <class name="FodselsStart"/>
            <attribute name="_FodselsStart"/>
            <code value="1" text="Spontan"/>
            <code value="2" text="Indusert"/>
            <code value="3" text="Sectio"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>

```

```

MFRkoder_051
    <enumeration value="3"/>
  </restriction>
</simpleType>
<simpleType name="_Induksjon">
  <annotation>
    <appinfo>
      <class name="Induksjon"/>
      <attribute name="_Induksjon"/>
      <code value="1" text="Prostaglandin"/>
      <code value="2" text="Oxytocin"/>
      <code value="3" text="Amniotomi"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_Sectio">
  <annotation>
    <appinfo>
      <class name="Sectio"/>
      <attribute name="_Sectio"/>
      <code value="" text="Elektiv sectio"/>
      <code value="" text="Akutt sectio"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
  </restriction>
</simpleType>
<simpleType name="_Inngrep">
  <annotation>
    <appinfo>
      <class name="Inngrep"/>
      <attribute name="_Inngrep"/>
      <code value="1" text="Ingen"/>
      <code value="2" text="Utskj. tang, hodeleie"/>
      <code value="3" text="Annen tang, hodeleie"/>
      <code value="4" text="Vakuumekstraktor"/>
      <code value="5" text="Episiotomi"/>
      <code value="6" text="Sectio"/>
      <code value="7" text="Fremhjelp v/setefodsel"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_FremhjelpSeteFodsel">
  <annotation>
    <appinfo>
      <class name="FremhjelpSeteFodsel"/>
      <attribute name="_FremhjelpSeteFodsel"/>
      <code value="1" text="Vanlig fremhjelp"/>
      <code value="2" text="Uttrekning"/>
      <code value="3" text="Tang pa etterk. hode"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
  </restriction>
</simpleType>
<simpleType name="_Indikasjon">

```

```

MFRkoder_051
<annotation>
  <appinfo>
    <class name="Indikasjon"/>
    <attribute name="_Indikasjon"/>
    <code value="1" text="Komplikasjoner som
beskrevet"/>
    <code value="2" text="Fostermisdannelser"/>
    <code value="3" text="Overtid"/>
    <code value="99" text="Annet"/>
  </appinfo>
</annotation>
<restriction base="nonNegativeInteger">
  <enumeration value="1"/>
  <enumeration value="2"/>
  <enumeration value="3"/>
  <enumeration value="99"/>
</restriction>
</simpleType>
<simpleType name="_FodselKomplikasjon">
  <annotation>
    <appinfo>
      <class name="FodselKomplikasjon"/>
      <attribute name="_FodselKomplikasjon"/>
      <code value="1" text="Ingen"/>
      <code value="2" text="Vannavg. 12 - 24 timer"/>
      <code value="3" text="Vannavg. mer enn 24 timer"/>
      <code value="4" text="Mekaniske misforhold"/>
      <code value="5" text="Vanskelig
skulderforlosning"/>
      <code value="6" text="Placenta previa"/>
      <code value="7" text="Abruptio placentae"/>
      <code value="8" text="Perinealruptur (grad 1-2)"/>
      <code value="9" text="Sphincterruptur (gr. 3-4)"/>
      <code value="10" text="Blodn. mer enn 1500 ml,
transf."/>
      <code value="11" text="Blodning 500 - 1500 ml"/>
      <code value="12" text="Eklampsi under fodsel"/>
      <code value="13" text="Navlesnorfremfall"/>
      <code value="14" text="Truende intrauterin
asfyksi"/>
      <code value="15" text="Risvekkelse, stimulert"/>
      <code value="16" text="Langsom fremgang"/>
      <code value="17" text="Uterus atoni"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
    <enumeration value="8"/>
    <enumeration value="9"/>
    <enumeration value="10"/>
    <enumeration value="11"/>
    <enumeration value="12"/>
    <enumeration value="13"/>
    <enumeration value="14"/>
    <enumeration value="15"/>
    <enumeration value="16"/>
    <enumeration value="17"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_Anestesi">
  <annotation>
    <appinfo>
      <class name="Anestesi"/>
      <attribute name="_Anestesi"/>
      <code value="1" text="Ingen"/>
      <code value="2" text="Lystgass"/>
      <code value="2" text="Petidin"/>
      <code value="3" text="Epidural"/>
      <code value="4" text="Spinal"/>
      <code value="5" text="Pudendal"/>
    </appinfo>
  </annotation>

```

```

MFRkoder_051
  <code value="6" text="infiltrasjon"/>
  <code value="7" text="Paracervical blokk"/>
  <code value="8" text="Narkose"/>
  <code value="99" text="Annet"/>
</appinfo>
</annotation>
<restriction base="nonNegativeInteger">
  <enumeration value="1"/>
  <enumeration value="2"/>
  <enumeration value="3"/>
  <enumeration value="4"/>
  <enumeration value="5"/>
  <enumeration value="6"/>
  <enumeration value="7"/>
  <enumeration value="8"/>
  <enumeration value="9"/>
  <enumeration value="99"/>
</restriction>
</simpleType>
<simpleType name="_PlacentaKode">
  <annotation>
    <appinfo>
      <class name="PlacentaKode"/>
      <attribute name="_PlacentaKode"/>
      <code value="1" text="Normal"/>
      <code value="2" text="Hinnerester"/>
      <code value="3" text="Ufullstendig"/>
      <code value="4" text="Infarkter"/>
      <code value="5" text="Koagler"/>
      <code value="6" text="Utskrapning"/>
      <code value="7" text="Manuell uthenting"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_Navlesnorkode">
  <annotation>
    <appinfo>
      <class name="Navlesnorkode"/>
      <attribute name="_Navlesnorkode"/>
      <code value="1" text="Normal"/>
      <code value="2" text="Velamentost feste"/>
      <code value="3" text="Marginalt feste"/>
      <code value="4" text="Karanomalier"/>
      <code value="5" text="Omslyng rundt hals"/>
      <code value="6" text="Annet omslyng"/>
      <code value="7" text="Ekte knute"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
  </restriction>
</simpleType>
<simpleType name="_FostervannKode">
  <annotation>
    <appinfo>
      <class name="FostervannKode"/>
      <attribute name="_FostervannKode"/>
      <code value="1" text="Normal"/>
      <code value="2" text="Polyhydramnion"/>
      <code value="3" text="Oligohydramnion"/>
      <code value="4" text="Misfarget"/>
    </appinfo>
  </annotation>

```

```

                MFRkoder_051
                <code value="5" text="Stinkende, infisert"/>
                <code value="6" text="Blodtilblandet"/>
            </appinfo>
        </annotation>
        <restriction base="nonNegativeInteger">
            <enumeration value="1"/>
            <enumeration value="2"/>
            <enumeration value="3"/>
            <enumeration value="4"/>
            <enumeration value="5"/>
            <enumeration value="6"/>
        </restriction>
    </simpleType>
    <simpleType name="_KomplikasjonMorEtterFodsel">
        <annotation>
            <appinfo>
                <class name="KomplikasjonMorEtterFodsel"/>
                <attribute name="_KomplikasjonMorEtterFodsel"/>
                <code value="1" text="Intet spesielt"/>
                <code value="2" text="Feber mer enn 38.5"/>
                <code value="3" text="Trombose"/>
                <code value="4" text="Eklampsi post partum"/>
                <code value="5" text="Mor overflyttet"/>
                <code value="6" text="Mor intensivbehandlet"/>
                <code value="7" text="Sepsis"/>
                <code value="99" text="Annet"/>
            </appinfo>
        </annotation>
        <restriction base="nonNegativeInteger">
            <enumeration value="1"/>
            <enumeration value="2"/>
            <enumeration value="3"/>
            <enumeration value="4"/>
            <enumeration value="5"/>
            <enumeration value="6"/>
            <enumeration value="7"/>
            <enumeration value="99"/>
        </restriction>
    </simpleType>
    <simpleType name="_Kjonn">
        <annotation>
            <appinfo>
                <class name="Barnet"/>
                <attribute name="_Kjonn"/>
                <code value="1" text="Gutt"/>
                <code value="2" text="Jente"/>
                <code value="3" text="Usikkert kjonn"/>
            </appinfo>
        </annotation>
        <restriction base="nonNegativeInteger">
            <enumeration value="1"/>
            <enumeration value="2"/>
            <enumeration value="3"/>
        </restriction>
    </simpleType>
    <simpleType name="_LevendeFodt">
        <annotation>
            <appinfo>
                <class name="Barnet"/>
                <attribute name="_LevendeFodt"/>
                <code value="1" text="Levendefodt"/>
                <code value="2" text="Dodfodt / spontanabort"/>
            </appinfo>
        </annotation>
        <restriction base="nonNegativeInteger">
            <enumeration value="1"/>
            <enumeration value="2"/>
        </restriction>
    </simpleType>
    <simpleType name="_DodFodsel">
        <annotation>
            <appinfo>
                <class name="DodFodsel"/>
                <attribute name="_DodFodsel"/>
                <code value="1" text="Dod for fodsel"/>
                <code value="2" text="Dod under fodsel"/>
                <code value="3" text="Ukjent dodstidspunkt"/>
                <code value="4" text="Dod for innkomst"/>
            </appinfo>
        </annotation>

```

```

MFRkoder_051
    <code value="5" text="Dod etter innkost"/>
  </appinfo>
</annotation>
<restriction base="nonNegativeInteger">
  <enumeration value="1"/>
  <enumeration value="2"/>
  <enumeration value="3"/>
  <enumeration value="4"/>
  <enumeration value="5"/>
</restriction>
</simpleType>
<simpleType name="_IndikasjonForOverflytting">
  <annotation>
    <appinfo>
      <class name="IndikasjonForOverflytting"/>
      <attribute name="_IndikasjonForOverflytting"/>
      <code value="1" text="Respirasjonsproblemer"/>
      <code value="2" text="Prematur"/>
      <code value="3" text="Medfodte misd."/>
      <code value="4" text="Perinatale infeksjoner"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="99"/>
  </restriction>
</simpleType>
<simpleType name="_NeonatalDiagnose">
  <annotation>
    <appinfo>
      <class name="NeonatalDiagnose"/>
      <attribute name="_NeonatalDiagnose"/>
      <code value="1" text="Intet spesielt"/>
      <code value="2" text="Hypoglyk. (mindre enn 2
mmo1/l)"/>
      <code value="3" text="Medf. anemi (Hb mindre enn
13.5 g/dl)"/>
      <code value="4" text="Hofteleddsdy spl. beh.
m/pute"/>
      <code value="5" text="Transit. tachypnoe"/>
      <code value="6" text="Resp. distress syndr."/>
      <code value="7" text="Aspirasjonssyndrom"/>
      <code value="8" text="Intrakraniell blodning"/>
      <code value="9" text="Cerebral irritasjon"/>
      <code value="10" text="Cerebral depresjon"/>
      <code value="11" text="Abstinens"/>
      <code value="12" text="Neonatale kramper"/>
      <code value="13" text="Konjunktivitt beh."/>
      <code value="14" text="Navle./hudinf. beh."/>
      <code value="15" text="Perinat. inf. bakterielle"/>
      <code value="16" text="Perinat. inf. andre"/>
      <code value="17" text="Fract. clavicularae"/>
      <code value="18" text="Annen fraktur"/>
      <code value="19" text="Facialisparese"/>
      <code value="20" text="Plexusskade"/>
      <code value="99" text="Annet"/>
    </appinfo>
  </annotation>
  <restriction base="nonNegativeInteger">
    <enumeration value="1"/>
    <enumeration value="2"/>
    <enumeration value="3"/>
    <enumeration value="4"/>
    <enumeration value="5"/>
    <enumeration value="6"/>
    <enumeration value="7"/>
    <enumeration value="8"/>
    <enumeration value="9"/>
    <enumeration value="10"/>
    <enumeration value="11"/>
    <enumeration value="12"/>
    <enumeration value="13"/>
    <enumeration value="14"/>
    <enumeration value="15"/>
  </restriction>

```



```

        MFRkoder_051
        <enumeration value="16"/>
        <enumeration value="17"/>
        <enumeration value="18"/>
        <enumeration value="19"/>
        <enumeration value="20"/>
        <enumeration value="99"/>
    </restriction>
</simpleType>
<simpleType name="_Behandlingskoder">
    <annotation>
        <appinfo>
            <class name="Behandlingskoder"/>
            <attribute name="_Behandlingskoder"/>
            <code value="1" text="Systemisk antibiotika"/>
            <code value="2" text="Respiratorbehandling"/>
            <code value="3" text="CPAP behandling"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
    </restriction>
</simpleType>
<simpleType name="_IcterusBehandling">
    <annotation>
        <appinfo>
            <class name="IcterusBehandling"/>
            <attribute name="_IcterusBehandling"/>
            <code value="1" text="Lysbehandlet"/>
            <code value="2" text="Utskifting"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
    </restriction>
</simpleType>
<simpleType name="_Arsak">
    <annotation>
        <appinfo>
            <class name="Arsak"/>
            <attribute name="_Arsak"/>
            <code value="1" text="AB0 uforlik."/>
            <code value="2" text="RH immunisering"/>
            <code value="3" text="Fysiologisk"/>
            <code value="99" text="Annen arsak"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">
        <enumeration value="1"/>
        <enumeration value="2"/>
        <enumeration value="3"/>
        <enumeration value="99"/>
    </restriction>
</simpleType>
<simpleType name="_MeldingsReferanse">
    <restriction base="kith:ST">
        <length value="23"/>
    </restriction>
</simpleType>
<simpleType name="_ApgarValue">
    <restriction base="nonNegativeInteger">
        <minInclusive value="0"/>
        <maxInclusive value="10"/>
    </restriction>
</simpleType>
<simpleType name="_Melding">
    <annotation>
        <appinfo>
            <class name="Meldingsinfo"/>
            <attribute name="_Melding"/>
            <code value="1" text="Originalmelding"/>
            <code value="2" text="Tilleggs melding"/>
            <code value="3" text="Oppfølgingsmelding"/>
        </appinfo>
    </annotation>
    <restriction base="nonNegativeInteger">

```

```
                                MFRkoder_051
                                <enumeration value="1"/>
                                <enumeration value="2"/>
                                <enumeration value="3"/>
                                </restriction>
                                </simpleType>
</schema>
```