

## **Publikasjoner**

Publikasjonene er gruppert etter følgende emner:

- Bekjempelsesmidler
- Midd
- Parasitter
- Skadedyr
- Zoonoser (sykdommer)

### **Bekjempelsesmidler**

**Birkemoe T**, Mehl R, Ottesen P, Riddervold K, Soleng A & Aak A. Kjemiske og biologiske bekjempelsesmidler mot skadedyr i Norge. Oslo: Nasjonalt folkehelseinstitutt; 2002. 76 p. Rapport 2002:5. ISBN 82-8082-017-5.

**Mehl R**. Bekjempelsesmidler mot skadedyr i bolighus, lager, fjøs, næringsmiddelbedrifter og friluftsområder i 1999. Oslo: Statens institutt for folkehelse; 2000. 38 p. Rapport ... fra Folkehelse 2000:10. ISBN 82-7364-153-8.

**Mehl R**. Biologisk bekjempelse av skadedyr i Norge. In: Direktoratet for naturforvaltning. Økologisk risiko ved utsetting av genmodifiserte organismer i naturen. Trondheim: Direktoratet; 1991. Del II, appendix.

### **Midd**

Løvik M & **Mehl R**. Hvordan kan midden holdes unna sengetøyet? Fagbladet Allergi i Praksis 1999;2(1):34.

**Mehl R** & Nafstad P. Midd i husstøv. Nytt fra miljø- og samfunnsmedisin 1999;3(6):2.

Løvik M, Gaarder PI and **Mehl R** (eds). The house dust mite : its biology and role in allergy. Proceedings of an international scientific workshop. Oslo, Norway, 4-7 September 1997. Allergy 1998;53(48 suppl):1-135.

Løvik M, Gaarder PI and **Mehl R**. The house dust mite - its biology and role in allergic disease : a synopsis. Allergy 1998;53(48 suppl):121-135.

**Mehl R**. Occurrence of mites in Norway and the rest of Scandinavia. Allergy 1998;53(48 suppl):28-35.

Nafstad P, Øie L, **Mehl R**, Gaarder PI, Lødrup-Carlsen KC, Botten G, Magnus P, Jaakkola JJ. Residential dampness problems and symptoms and signs of bronchial obstruction in young Norwegian children. American Journal of Respiratory & Critical Care Medicine 1998;157(2):410-414.

Aas K & **Mehl R**. Påvisning og kvantitering av husstøvmidd. Fagbladet Allergi i Praksis. 1996;1(4):37-40.

**Mehl R.** Acari Midd. In: Aagaard K & Dolmen D, red. Limnofauna Norvegica: katalog over norsk ferskvannsfæuna. Trondheim: Tapir; 1995. p. 118-124

**Mehl R.** Midd i kraftfôr. In: Reklamasjonsnemnda for kraftfôr. Kraftfôret. Hva gjør du når det går galt? Oslo; 1993. p. 40-50.

Vollset I, Larsen HJ, **Mehl R.** Immediate type hypersensitivity in dogs induced by storage mites. Research in Veterinary Science 1986;40(1):123-127.

**Mehl R.** Midder av betydning for sykdommer hos menneske i Norge. Allergologen 1981:19-39.

**Mehl R.** Checklist of Norwegian ticks and mites (Acari). Fauna Norvegica. Ser. B. 1979;26:31-45.

**Mehl R.** Haemogamasus pontiger Berlese (Acari, Mesostigmata) in Norway. Rhizocrinus 1977;(9):1-4.

**Mehl R.** Husstøvallergi og midd. Astma og allergi -nytt 1973;(3):23-27.

## **Parasitter**

Lützow-Holm C, Christensen OB, Hoel T & **Mehl R.** Skabb i helseinstitusjon. MSIS-rapport 2000;28(03):1.

Bredal W & **Mehl R.** Behandling mot hodelus. Nytt om legemidler 1999;22(5):177-179.

Helle O, Gjerde B & **Mehl R.** Linognathus ovillus (Anoplura: Linognathidae) påvist hos sau i Norge. Norsk Veterinærtidsskift 1999;111(6):411-414.

**Mehl R,** Helsing P & Hoel T. Er skabbmidden på frammar? MSIS-rapport 1999;27(7):1.

**Mehl R.** Tid for fuglelopper. MSIS-rapport 1999;27(13):1.

Nafstad O, **Mehl R,** Schie K-A. Blodlus, Linognathus ovillus, påvist hos sau i Norge. Norsk Veterinærtidsskift 1999;111(6):415-417.

Ormerod K & **Ottesen P.** Er "marker" i drikkevann farlig? Nytt fra miljø- og samfunnsmedisin 1999;3(8):1.

Estrada-Peña A, Daniel M, Frandsen F, Gern L, Gettinby G, Gray JS, Jaenson TG, Jongejan F, Kahl O, Korenberg E, **Mehl R** and Nuttall PA. Ixodes ricinus strains in Europe. Zentralblatt für Bakteriologie 1998;287(3):185-9.

**Mehl R.** Ceratopogonidae Svknott. In: Aagaard K & Dolmen D, red. Limnofauna Norvegica: katalog over norsk ferskvannsfæuna. Trondheim: Tapir; 1996. p. 249-251.

**Mehl R.** Culicidae Stikkmygg. In: Aagaard K & Dolmen D, red. Limnofauna Norvegica: katalog over norsk ferskvannsfæuna. Trondheim: Tapir; 1996. p. 202-205.

- Mehl R.** Hodelusbekjempelse. MSIS-rapport 1995;23(45):1.
- Mehl R.** Lopper og fluer i pelsdyrfarmer. Norsk pelsdyrblad 1995;(2).
- Mehl R.** Loppestikk på menneske. MSIS-rapport 1994;22(15):1.
- Mehl R.** Hjortelusflua, et nytt, plagsomt insekt. MSIS-rapport 1993;21(38):1.
- Mehl R.** Fleas (Siphonaptera) from seabirds and their nests in mainland Norway and Spitzbergen. NIPH Annals 1992;15(1):3-15.
- Gryseels B, Mertens DA, **Mehl R.** An Imported Case of Ophthalmomyiasis Interna Posterior in the Netherlands caused by a larva of the reindeer Warble Fly. The Journal of Infectious Diseases 1991;163(4):931-932.
- Halldorsdottir S, Larsen HJ & **Mehl R.** Intradermal challenge of Icelandic horses with extracts of four species of the genus Culicoides. Research in Veterinary Science 1989;47(3):283-287.
- Mehl R.** Skadedyr og parasitter. Oslo: Statens institutt for folkehelse; 1989. 200 p. ISBN 82-7364-039-6
- Moresi C & **Mehl R.** The first record of the mosquito Couillettidia richiardii (Ficalbi) (Diptera, Culicidae) in Norway. Fauna Norvegica. Ser. B. 1989;37:44.
- Mehl R.** Lopper på folk og dyr i Norge i gammel og ny tid. In: Det norske videnskapsakademi. Årbok 1987. Oslo: Universitetsforlaget; 1988.
- Larsen HJ, Bakke SH & **Mehl R.** Intradermal challenge of Icelandic horses in Norway and Iceland with extracts of Culicoides spp. Acta Veterinaria Scandinavica 1988;29(3-4):311-314.
- Mehl R,** Sandven P, Braathen LR. Skogflåtten Ixodes ricinus. Tidsskrift for Den norske lægeforening 1987;107(19-21):1642-1644,1651.
- Mehl R** & Traavik T. Ticks and fleas in seabird colonies in Norway. In: Information 18. Proc. 10th Scand. Symp. Parasitol. Åbo (Finland): Åbo Akademi. Inst. Parasitol.; 1985. p. 47.
- Mehl R,** Michaelsen J & Lid G. Ticks (Acari, Ixodides) on migratory birds in Norway. Fauna Norvegica. Ser. B. 1984;31:46-58.
- Mehl R,** Traavik T & Wiger R. The composition of the mosquito fauna in selected biotopes for arbo-virus studies in Norway. Fauna Norvegica. Ser. B. 1983;30:14-24.
- Mehl R.** The distribution and host relations of Norwegian ticks (Acari, Ixodides). Fauna Norvegica. Ser. B. 1983;30:46-51.
- Mehl R.** En forbedret aspirator for samling av stikkmygg og andre insekter. Fauna (Oslo) 1983;36:132-133.

- Mehl R** & Traavik T. The tick *Ixodes uriae* (Acari, Ixodidae) in seabird colonies in Norway. *Fauna Norvegica. Ser. B.* 1983;30:94-107.
- Mehl R.** Loppene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 462-469.
- Mehl R.** Lus. *Mip Nytt* 1982;(1):15-17,(2):5-7
- Mehl R.** Lusene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 284-291.
- Mehl R,** Bang C, Kjos-Hanssen B & Lie H. Mallophaga from Svalbard. *Fauna Norvegica. Ser. B.* 1982; 29:19-23.
- Mehl R.** Middene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 173-177.
- Natvig LR & **Mehl R.** Bremsene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 404-409.
- Natvig LR & **Mehl R.** Stikkmyggene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 386-396
- Syrdalen P, Nitter T & **Mehl R.** Ophthalmomyiasis interna posterior : report of case caused by reindeer warble fly larva and review of previous reported cases. *British Journal of Ophthalmology* 1982;66(9):589-593.
- Tamb-Lyche H & **Mehl R.** Flåttene. In: Frislid R & Semb-Johansson A, editors. *Norges Dyr. 4. Virvelløse dyr.* 2. utg. Oslo: Cappelen; 1982. p. 177-185.
- Mehl R.** Vårt kjennskap til pels- og fjærlus-faunaen (Mallophaga) i Norge. *Fauna* 1981;34:80-85.
- Mehl R.** Bekjempelse av hodelus. *Tidsskrift for Den norske lægeforening* 1980;100(10):578.
- Mehl R.** Dyreparasitter, insekter og midd som er plagsomme for menneske. *Tidsskrift for Den norske lægeforening* 1980;100(10):VII, IX, XI, XIII, XV.
- Mehl R.** Loppestikk på menneske. *Tidsskrift for Den norske lægeforening* 1980;100(29):IX-XI.
- Mehl R.** Angrep av midder av slekten *Cheyletiella* på mennesker. *Norsk Veterinærtidsskrift* 1981;91(5):320.
- Mehl R.** Lusebekjempelse. *Tidsskrift for Den norske lægeforening* 1979;99:XI, XIII.
- Mehl R.** Mygg og knott - sommerens plageånd. *Sunnhetsbladet* 1979;(6-7):172,173,191.
- Mehl R.** Lusebekjempelse. Reaksjon på ekstreme temperaturer og sanering av klær og lokaler med fysiske midler. *Tidsskrift for Den norske lægeforening* 1978;98(34-36):XV, XVII.

Bakke T og **Mehl R.** To arter flaggermus-ikter funnet i Norge. Fauna (Oslo) 1977;30:224-226.

**Mehl R.** Veggedyr. Tidsskrift for Den norske lægeforening 1976;(29):III, V & VII.

**Mehl R.** Rypenes ektoparasitter i Norge. Fauna 1975;28:208-215.

## **Skadedyr**

**Ottesen PS.** Liten melbille : et nytt problem i fjørfeæringen. Samvirke 1997;92(7):14-15.

**Mehl R.** Ubudne gjester på soverom og kjøkken. In: Årsberetning 1993. Oslo: Statens institutt for folkehelse; 1994.

**Mehl R.** Julemat, insekter og mennesker. Kjemi 1991;54(10):6-7.

**Mehl R.** Skadedyr og parasitter. Oslo: Statens institutt for folkehelse; 1989. 200 p. ISBN 82-7364-039-6

**Mehl R.** Skadeinsekter og midder i kraftfor - forebyggelse og bekjempelse. Kvernkallen 1987;49(1):24-25.

**Mehl R.** Snutebiller i korn. Kvernkallen 1987;49(2):12-14.

Størmer FC, **Mehl R.**, Gallo F, Kleve K. Insects in Herculaneum papyri. Cronache Ercolanesi 1986;16:159.

**Mehl R.** Skadedyr i norske museer. In: Nordenstam B & Stenmark A, editors. Naturhistorisk museisymposium 12 november 1984. Skadeinsekter i museisamlinger och nordisk museisamverkan. Stockholm: Naturhistoriska riksmuseet; 1985. p. 6-19. ISBN 91-86510-02-9.

**Mehl R.** Inneklimaets betydning for bestanden av insekter og midder i hus. Teknisk Hygienisk Forum 1983;2(1):4-5.

**Mehl R.** Insekter og helse. Insekt-Nytt 1983;8(4):21-26.

**Mehl R.** Fleskeklanneren, Dermestes lardarius, som museumsskadedyr. Museumsnytt 1982;31(2):42-44.

**Mehl R.** Reesa vespulae og Trogoderma angustum. Skadeinsekter i norske museer. Museumsnytt 1982;31(1):49-51.

**Mehl R.** Ei flue om våren blir til millioner om sommeren. Norden 1981;85:360-361.

**Mehl R.** Fluebekjempelse i hønsehus. Fjørfe 1981;98:163-166.

**Mehl R.** Skadeinsekter i norske museer. Museumsnytt 1981;30:39-40.

**Mehl R.** Skadeinsekter og midder i kraftfor - forebyggelse og bekjempelse. Kraftfornytt 1981;23:6-7.

**Mehl R.** Appelsinflua *Ceratitis capitata* i importert frukt. Fauna (Oslo) 1980;33:155-156.

**Mehl R.** Fikenmøll, *Ephestia figulilella*, *Ephestia calidella* og johannesbrødmøll, *Ectomyeloides ceratoniae*, (Lepideoptera: Phycitidae) i importerte matvarer i Norge. Atalanta Norvegica 1979;3:107-110.

**Mehl R.** Lepidoptera fra hus og lagrede varer innsendt til statsentomologen i tiden 1891 til 1939. Atalanta Norvegica 1979;3:97-102.

**Mehl R.** Henvendelser angående skadedyr, ektoparasitter og andre plagsomme dyr i 1972-1976. Fauna (Oslo) 1978;31:250-267.

**Mehl R.** Hussirissen. Fauna (Oslo) 1978;31:237-242.

**Mehl R.** Husflyet, *Caradrina clavipalpis*. Fauna (Oslo) 1977;30:23-28.

**Mehl R.** Sommerfugler som forekommer i hus og lagrede varer i Norge. Atalanta Norvegica 1977;3:41-48.

**Mehl R.** Steinspretten, *Petrobius brevistylis*. Fauna (Oslo) 1977;30:12-19.

**Mehl R.** Skadedyr i bakerier og konditorier. Bilag til Forum 1976;(1):27 s.

**Mehl R.** Amerikansk vepsebolklanner, et skadedyr i musèr. Fauna (Oslo) 1975;28:198-204.

## **Zoonoser**

Berdal BP, **Mehl R.**, Haaheim H, Løksa M, Grunow R, Burans J, Morgan C, Meyer H. Field detection of *Francisella tularensis*. Scandinavian Journal of Infectious Diseases 2000;32(3):287-291.

Blystad H, Bruu AL & **Mehl R.** Første meldte tilfelle av sannsynlig innenlandsk smittet skogflåttencefalitt (TBE) i Norge. MSIS-rapport 1999;27(17):1.

Hasle G, Eriksen K, Bruun JN, Sannes M and **Mehl R.** High risk of malaria along the Zambesi River. Proceedings of European Conference on Travel Medicine, Venice, Cini Foundation, 25-27 March 1998. 1999. p. 324-325.

**Mehl R.** Flått og borreliose i Norge – epidemiologi. Nytt om legemidler 1999;22(Suppl 1):15-16.

Gern L, Estrada-Peña A, Frandsen F, Gray JS, Jaenson TG, Jongejan F, Kahl O, Korenberg E, **Mehl R.** and Nuttall PA. European reservoir hosts of *Borrelia burgdorferi sensu lato*. Zentralblatt für Bakteriologie 1998;287(3):196-204.

Lundkvist Å, Wiger D, Hörling J, Sjölander KB, Plyusnina A, **Mehl R**, Vaheri A and Plyusnin A. Isolation and characterization of Puumala hantavirus from Norway : evidence for a distinct phylogenetic sublineage. *Journal of General Virology* 1998;79(Pt 11):2603-2614.

Sandvik T, Tryland M, Hansen H, **Mehl R**, Moens U, Olsvik Ø and Traavik T. Naturally occurring orthopoxviruses : potential for recombination with vaccine vectors. *Journal of Clinical Microbiology* 1998;36(9):2542-2547.

Tryland M, Sandvik T, Hansen H, Haukenes G, Holtet L, Bennett M, **Mehl R**, Moens U, Olsvik Ø and Traavik T. Characteristics of four cowpox virus isolates from Norway and Sweden. *APMIS* 1998;106(6):623-635.

Tryland M, Sandvik T, **Mehl R**, Bennet M, Traavik T and Olsvik Ø. Serosurvey for orthopoxviruses in rodents and shrews from Norway. *Journal of Wild Life Diseases* 1998;34(2):240-250.

Aavitsland P, Blystad H, **Mehl R** og Lystad A. Smittevern ved internasjonal flytrafikk til Norge. *Tidsskrift for Den norske lægeforening* 1998;118(23):3649-53.

**Ottesen PS** og Lassen J. Helseeffekter av klimaendringer - mulige konsekvenser for Norge. *Tidsskrift for Den norske lægeforening*. 1997;117(1):54-57.

Berdal BP, **Mehl R**, Meidell NK, Lorentzen-Styr AM & Scheel O. Field investigations of Tularemia in Norway. *FEMS Immunology & Medical Microbiology* 1996;13(3):191-5.

Sandvik T, Tryland M, Moens U, **Mehl R**, Olsvik Ø, Traavik T. Avipoxviruses in Norway: efforts at direct detection in wild birds by polymerase chain reaction. In: Sandvik T, Tryland M. Orthopoxviruses in Norway. Distribution, reservoirs and characteristics. (Thesis) University of Tromsø. Tromsø: University of Tromsø. Institute of Medical Biology; 1996. Paper No.7: 1-10.

Berdal BP, **Mehl R**, Meidell NK & Andresen V. Environmental spread of Tularemia in Norway. Proceedings of the Fifth International Symposium on Protection Against Chemical and Biological Warfare Agenst, Stockholm, Sweden, 11-16 June 1995. 1995. p. 319-324.

Berdal BP, **Mehl R**, Meidell NK & Scheel O. Field investigations of Tularemia in Norway. First International Conference on Tularemia, Umeå, Sweden, August 23-25 1995. 1995.

Jenum P, Johnsen S & **Mehl R**. Etiologi, diagnostikk og behandling av Lyme Borreliose. Oslo: Apothekernes Laboratorium; 1995. 26 p.

Wiger D, Børsting IE, **Mehl R**, Niklasson B & Berdal BP. Tidlig serologisk diagnose av Nephropatia epidemica. *Tidsskrift for Den norske lægeforening* 1991;111(27):3279-3282.

**Mehl R**, Bjerknes T, Sandven P & Vandvik B. Borrelia burgdorferi in the tick Ixodes ricinus in Norway. *Fauna Norvegica. Ser. B.* 1989;36:87.

Wiger D, **Mehl R**. Nephropathia Epidemica in Norway (1986-1989). Second Symposium on Arboviruses in the Mediterranean Countries (including an International Symposium on TBE and Hanta- and CCHF Viruses), 24 to 29 september 1989, Dubrovnik. 1989.

Ørstavik I & **Mehl R.** Mygg sprer virus. Legemidler og samfunn 1989.

Sommer A-I, Traavik T, **Mehl R.**, Berdal BP & Dalrymple J. Hemorrhagic fever with renal syndrome (Nephropathia epidemica) in Norway : sero-epidemiology 1981-1985. *Scandinavian Journal of Infectious Diseases* 1988;20(3):267-274.

Sommer A-I, Traavik T & **Mehl R.** Nephropathia epidemica virus infection among wild living bank voles near an endemic village in Norway. In: Sommer A-I, editor. *Nephropathia Epidemica in Norway*. Thesis for the degree of Doctor scientiarum at the University of Tromsø. Tromsø: University of Tromsø; 1988. Paper IV: 1-14.

Braathen LR, Austad J, Mørk N-J, Holm J-Ø, **Mehl R.** Erythema chronicum migrans og acrodermatitis chronica atrophicans. *Tidsskrift for Den norske lægeforening* 1987;107(19-21):1649-1651.

Sommer A-I, Traavik T, **Mehl R.**, Berdal BP & Dalrymple JM. Reservoir animals for nephropathia epidemica in Norway : indications of a major role for the bank vole (*C. glareolus*) in comparison with the woodmouse (*A. sylvaticus*). *Journal of Hygiene, Camb.* 1985;94(1):123-127.

Traavik T, **Mehl R.** & Wiger R. Mosquito-borne arboviruses in Norway : further isolations and detection of antibodies to California encephalitis viruses in human, sheep and wildlife sera. *Journal of Hygiene, Camb.* 1985;94(1):111-122.

Bruu A, **Mehl R.** Tjåland S, Vik ISS & Ødegård Ø. Ornitoseepidemi i Fræna legedistrikt i 1981. *Tidsskrift for Den norske lægeforening* 1984;104(15):1034-1037.

Traavik T, Wiger R & **Mehl R.** Evidence for flavivirus(es) outside of the distribution area for *Ixodes ricinus* in Norway. *Journal of Hygiene, Camb.* 1984;93(1):133-138.

Traavik T, Sommer A-I, **Mehl R.**, Berdal BP, Stavem K, Hunderi OH & Dalrymple JM. Nephropathia epidemica in Norway : antigen and antibodies in rodent reservoirs and antibodies in selected human populations. *Journal of Hygiene, Camb.* 1984;93(1):139-146.

Traavik T, **Mehl R.**, Berdal BJ, Lund S & Dalrymple JM. Nephropathia epidemica in Norway : description of serological response in human disease and implication of rodent reservoirs. *Scandinavian Journal of Infectious Diseases* 1983;15(1):11-16.

**Mehl R.** Swimmers itch. *Tidsskrift for Den norske lægeforening* 1982;102(28):III.

**Mehl R.** Sølvkreet, *Lepisma saccharina*, som skadedyr på dokumenter. *Museumsnytt* 1982;31(3):63-64.

Traavik T, **Mehl R.** & Wiger R. California encephalitis group viruses isolated from mosquitoes collected in Southern and Arctic Norway. *Acta Pathologica et Microbiologica Scandinavica. Sect. B.* 1978;86:335-341.

Traavik T, **Mehl R.** & Wiger R. The first tick-borne encephalitis virus isolates from Norway. *Acta Pathologica et Microbiologica Scandinavica. Sect. B.* 1978;86:253-255.



Traavik T, **Mehl R** & Kjeldsberg E. "Runde" virus, a coronavirus-like agent associated with seabirds and ticks. *Archives of Virology* 1977;55:25-38.

Traavik T & **Mehl R**. Uukuniemi Group Viruses isolated in Norway. *Archives of Virology* 1977;54:317-331.

Traavik T & **Mehl R**. Tick-borne viruses in Norway. *Medical Biology* 1975;53:321-324.

Traavik T, **Mehl R** and Petterson EM. The isolation of an agent related to Uukuniemi virus from Norwegian *Ixodes ricinus* ticks. *Acta Pathologica et Microbiologica Scandinavica. Sect. B.* 1974; 82:297-298.